

KWICKRACK



RACKING-UK

Storage & Workplace Equipment



essexmezz@icloud.com



www.racking-uk.com



01621 786 630



07831 653839

Racking UK, 39 High Street, Burnham-on-Crouch, Essex, CM0 8AG



KWIKRACK

Our Kwikrack offers a robust and cost effective storage solution for any application. The unique 6 fold channel beam offers shelf capacities of 300kgs with a shelf height of only 54mm. The design of the beam allows for an inset chipboard decking design with interlocking deck supports for a strong and robust shelf level.

The system is simple to erect, yet has all the strength you are likely to need. The bays just tap together with a rubber mallet so you can organise your storage in a fraction of the time it can take with more traditional systems. With a build time of just 10 minutes, large installations will be completed in no time at all.

- **Easy to assemble and re-configure**
Build a bay in 10 minutes with a rubber mallet
- **Will suit any application**
A versatile range, ideal for home, garage or industry
- **Best value shelving system**
With shelf capacities of up to 300kgs at great prices



Heights

Standard Bay Height (mm)
2000

Other Available Heights (mm)
2500



Widths

Widths (mm)
1000, 1200, 1500



Depths

Depths (mm)
300, 450, 600



Application

Environment
Warehouse, Storeroom, Workshop

Usage
Multipurpose Storage, Heavy & Bulky Items, Archiving



Construction

Uprights: **Steel**
Blue RAL5010

Beams: **Steel**
Galvanised

Shelves/Decks
Chipboard 12mm



Loadings



Shelf UDL
200, 250, 300kg

Max Bay Load
up to **1500kgs**

Industrial racking for any application



Three bay run of Kwikrack 2000 x 1000 x 450




Plan your layout

Nominal Bay Width (mm)	Clear Entry (mm)	Bay Width (mm)	Bay width with plastic feet (mm)	Bay width with metal feet (mm)
1000	920	1000	1011	1013
1200	1120	1200	1211	1211
1500	1420	1500	1511	1511

Nominal Bay Depth (mm)	Clear Entry (mm)	Bay Depth (mm)	Bay Depth with plastic feet (mm)	Bay Depth with metal feet (mm)
300	220	300	311	311
450	370	450	461	461
600	520	600	611	611

Overall Height = H + 5mm Shelf Pitch = every 33.33mm
Clear opening between levels = Total Shelf Pitch - 54mm
First shelf level = 90mm FFL
Bay Capacity = 1500kgs



Kwikrack beam profile

Wide open bays with heavy duty shelves



Kwikrack with Archive Boxes



Wide Open Bays			+Add Extra Shelves	
	H x W x D (mm)	Bay Code	Shelf Load (kg)	Shelf Code
W1000mm	2000x1000x300	KWB/20/10/03/5/BGV	300	KWS/10/03/GV
	2000x1000x450	KWB/20/10/04/5/BGV	300	KWS/10/04/GV
	2000x1000x600	KWB/20/10/06/5/BGV	300	KWS/10/06/GV
W1200mm	2000x1200x300	KWB/20/12/03/5/BGV	250	KWS/12/03/GV
	2000x1200x450	KWB/20/12/04/5/BGV	250	KWS/12/04/GV
	2000x1200x600	KWB/20/12/06/5/BGV	250	KWS/12/06/GV
W1500mm	2000x1500x300	KWB/20/15/03/5/BGV	200	KWS/15/03/GV
	2000x1500x450	KWB/20/15/04/5/BGV	200	KWS/15/04/GV
	2000x1500x600	KWB/20/15/06/5/BGV	200	KWS/15/06/GV

+For Taller Bays Add Price	
Extra Height	Code
Bays 2500mm	KWB/25/-/-/-/5/BGV



Kwikrack bay 2000 x 1000 x 600mm



ASK US
TO QUOTE



RACKING-UK

Storage & Workplace Equipment

*...there is no space too big
too small or too awkward*

 essexmezz@icloud.com

 www.racking-uk.com

 01621 786 630

 07831 653839