

IMPACT PROTECTION



RACKING-UK

Storage & Workplace Equipment



essexmezz@icloud.com



www.racking-uk.com



01621 786 630



07831 653839

Racking UK, 39 High Street, Burnham-on-Crouch, Essex, CM0 8AG

ImpactSAFE Heavy Duty Bollard

This advanced range of Heavy Duty Bolt-Down Bollards has shock absorbing rubber buffers to take the force of impacts away from the slab and fixings.

Our Heavy Duty Bolt-Down Bollards offer exceptional impact protection with industrial steel cores and innovative ImpactSAFE shock-absorbing rubber buffers, designed to deflect impact force away from slabs and fixings. Available in 1000mm, 1300mm, and 1600mm heights, each bollard includes a slide-over polymer cover kit, eliminating the need for repainting, and 50mm reflective bands for high visibility.


Installation is fast and secure using bolt-down fixings and flush finish safety-plus floor anchors, which reduce trip hazards and prevent dirt build-up. These bollards are ideal for safeguarding entrances, service zones, and high-traffic areas across commercial and industrial sites.

The 168mm diameter steel cores come with galvanized base plates and are available in five bright colour options. Fully tested to PAS 13 standards, these bollards deliver long-term durability, reduced maintenance, and enhanced safety.

A full range of bolt-down and potted (cast-in) options is also available upon request.

- Heavy Duty Bollard available in 1000mm, 1300mm and 1600mm height options
- Bolt-Down fixings, with polymer cover kits and 50mm reflective bands
- Industrial steel core bollards with ImpactSAFE shock absorbing buffers to arrest impact force
- Easy to fit, slide-over Polymer cover kits to eliminate need for repainting
- Flush finish safety-plus floor anchors to reduce trip hazards and dirt collection

Description	Height (mm)	Colour	Code
ImpactSAFE Heavy Duty Bollard	1,000	Yellow & Black	ISB-1000YB
ImpactSAFE Heavy Duty Bollard	1,300	Yellow & Black	ISB-1300YB
ImpactSAFE Heavy Duty Bollard	1,600	Yellow & Black	ISB-1600YB



Single & Double Bumper Barriers



Low maintenance High Density Polyethylene (HDPE) plastic barriers only need replacing when frequent, major impact has occurred.

Unlike metal barriers, there is minimal floor damage when impact occurs, saving maintenance costs long term. Fully recyclable & non-toxic.

Suitable for use in food production facilities and freezer environments. Combines strength & visibility to maximise space also protects against large MHE within busy warehouses.

- Made from Highly durable plastic
- Flexes on impact and reforms shape
- Variety of highly visible colours available
- Use in ambient, chilled, and freezer environments

Description	Length (mm)	Colour	Code
Single bumper barrier	1,900	Safety Yellow & Grey	LBBS19/SYG
Single bumper barrier	3,400	Safety Yellow & Grey	LBBS34/SYG
Single bumper barrier	4,900	Safety Yellow & Grey	LBBS49/SYG
Double bumper barrier	1,900	Safety Yellow & Grey	LBBD19/SYG
Double bumper barrier	3,400	Safety Yellow & Grey	LBBD34/SYG
Double bumper barrier	4,900	Safety Yellow & Grey	LBBD49/SYG

Essential, Core, Plus: One range, three levels of protection.

ESSENTIAL

Everyday protection for standard industrial environments.

Ideal for:

- Light to moderate vehicle traffic
- Standard forklifts and pallet trucks
- General warehouse and production areas
- Projects where budget efficiency is key

CORE

Durable protection for busy, high-activity sites.

Ideal for:

- High-traffic warehouse aisles
- Regular forklift and MHE activity
- Loading, picking, and despatch areas
- Sites requiring a balance of performance and value

PLUS

Maximum protection for high-risk, safety critical areas.

Ideal for:

- Heavy vehicle and HGV traffic
- High-risk or safety-critical zones
- Areas with repeated high-impact exposure
- Sites prioritising maximum protection and lifespan

Pedestrian Barrier

Brandsafe



A simple solution to protect and segregate pedestrians and MHE

- Highly durable plastic for long lasting protection
- Variety of highly visible colours available
- Use in ambient, chilled, and freezer environments
- Further colour options available on request: Yellow posts with Black Rails or Safety Yellow

Description	Length (mm)	Colour	Code
3 rail pedestrian barrier 1500mm length	1,500	Safety Yellow & Grey	PB315/SYG
3 rail pedestrian barrier 3000mm length	3,000	Safety Yellow & Grey	PB330/SYG
3 rail pedestrian barrier 4500mm length	4,500	Safety Yellow & Grey	PB345/SYG

Bumper Pedestrian Barriers

Brandsafe



Low maintenance High Density Polyethylene (HDPE) plastic barriers only need replacing when frequent, major impact has occurred. Pedestrian barriers with bumpers offer extra deflection and strength to increase safety of pedestrians.

- Highly durable plastic for long lasting protection
- Flexes on impact and reforms shape
- Variety of highly visible colours available
- Use in ambient, chilled, and freezer environments

Description	Length (mm)	Colour	Code
Single bumper pedestrian barrier	1,900	Safety Yellow & Grey	PBBS19/SYG
Single bumper pedestrian barrier	3,400	Safety Yellow & Grey	PBBS34/SYG
Single bumper pedestrian barrier	4,900	Safety Yellow & Grey	PBBS49/SYG
Double bumper pedestrian barrier	1,900	Safety Yellow & Grey	PBBD19/SYG
Double bumper pedestrian barrier	3,400	Safety Yellow & Grey	PBBD34/SYG
Double bumper pedestrian barrier	4,900	Safety Yellow & Grey	PBBD49/SYG


Pedestrian Safety Gates

Brandsafe

Safe and easy to use pedestrian access for any barrier system

Manufactured from low maintenance, High Density Polyethylene (HDPE) plastic, these gates only need replacing when frequent, major impact occurs. Unlike metal gates, there is minimal floor damage upon impact, saving long-term maintenance costs. Available in a range of striking, high-visibility colours that are easily detectable, they prevent accidents before they happen. Fully recyclable and non-toxic, these gates are suitable for use in food production facilities and freezer environments. They align perfectly with our safety barrier range, including Pedestrian Safety Barriers (SEG+), Guardrail Systems (MHE / PIT), Single Bumper Pedestrian Barriers, Double Bumper Pedestrian Barriers.

- Separating forklifts from pedestrian routes
- Flexes on impact and reforms shape
- Use in ambient, chilled, and freezer environments
- Compatible with our range of safety barrier systems



Description	Colour	Code
Safety Gate	Safety Yellow & Grey	BS-PB-PSG

Floor Rail Bumpers

Brandsafe



Protect your aisles of racking from low level accidental impact damage with this durable Floor Rail Bumper system.

The Floor Rail Barrier is a robust and efficient solution designed to enhance racking protection in various industrial environments. Manufactured from high-density polyethylene (HDPE) polymer, these barriers provide durable and reliable protection, making them ideal for safeguarding infrastructure against impacts from material handling equipment (MHE).

Features and Benefits:

- Highly durable plastic for long lasting protection
- Flexes on impact and reforms shape
- Use in ambient, chilled and freezer environments
- Bespoke options available upon request



Description	Length (mm)	Colour	Code
Floor rail bumper	1,200	Safety Yellow	KBB12/SYG



Safety Bollard

Brandsafe



Unlike metal bollards, impact causes minimal floor damage, helping reduce long-term maintenance costs.

Adding strength and presence to corners, structures and entryways.

Fully recyclable and non-toxic. Suitable for use in food production facilities and freezer environments.

- Highly durable plastic with a steel core for long lasting protection
- Variety of highly visible colours available
- Use in ambient, chilled, and freezer environments

Description	Height (mm)	Colour	Code
Safety bollard	600	Safety Yellow & Grey	HDB60/SYG
Safety bollard	900	Safety Yellow & Grey	HDB90/SYG
Safety bollard	1,200	Safety Yellow & Grey	HDB12/SYG

ImpactSAFE Protection Posts

Brandsafe

Low-cost door and services protection

Medium Duty Protection Post - Ideal for keeping pallet trucks and MHE away from equipment, vulnerable services and building projections, which would otherwise result in personnel safety issues and impact damage. This product combines the strength of a steel core and baseplate, with the impact absorption of a rubber buffer. Sleeved in highly visible Safety Yellow Polyethylene, our Protection Posts are low-maintenance, with no requirement for

repainting going forward.

- Strong and robust protection post
- 600mm, 800mm and 1000mm high post options
- Highly visible to drivers and pedestrians
- No need for repainting with Yellow polyethylene sleeve
- Supplied with rubber ImpactSAFE Buffers to absorb shock



Description	Height (mm)	Colour	Code
ImpactSAFE Protection Post	600	Yellow & Black	ISP-600YB
ImpactSAFE Protection Post	800	Yellow & Black	ISP-800YB
ImpactSAFE Protection Post	1,000	Yellow & Black	ISP-1000YB

Heavy Duty Potted Bollard

Brandsafe

A robust and impact-absorbing bollard system designed to protect your warehouse or loading bay from heavy vehicles

This bollard is made from high-quality mild steel and hot dip galvanized to BS EN ISO 1461 standards. It's engineered to withstand impact from material handling equipment, ensuring that your floor anchors and protective slab remain safe and secure.

Installation requires some excavation to the required depth of the 'potted' bollard section, and concrete can be used to finish the floor level neatly. The Potted Bollard is a heavy-duty ground-sunk design that's perfect for warehouses, loading bays, and other industrial settings where heavy vehicles are in use.

By investing in the Heavy Duty Potted Bollard, you can ensure the safety and security of your workplace, while also protecting your equipment and flooring from damage.

- Diamond core drill and cast-in potted bollards with galvanised steel core
- Finished with polymer bollard cover kits for high-visibility and no-paint maintenance benefits
- 500mm potted depth
- Bollards incorporate 50mm reflective silver band
- Ideal for external level access loading doors, where HGV trailers reverse in and out



Description	Above ground height (mm)	Overall Height (mm)	Core Diameter (mm)	Overall Diameter with Cover (mm)	Cover Colour	Code
Potted Bollard	960	1,460	168	210	All Yellow	BKP-HD960YY
Potted Bollard	1,260	1,760	168	210	All Yellow	BKP-HD1260YY
Potted Bollard	1,560	2,060	168	210	All Yellow	BKP-HD1560YY

Flexible Delineators

Brandsafe

Safe and easy to use pedestrian access for any barrier system

Flexi-delineators designed to route vehicles safely round your industrial facility. They are ideal for segregation of traffic routes with risk of vehicle impact where barriers are not achievable or desired.

Highly visible with 4 no. Reflective Bands to promote night time safety. Soft under vehicle impact - they will crush and bend returning to original state without damage to the delineator or damage to the vehicles.

- Separating forklifts from pedestrian routes
- Flexes on impact and reforms shape
- Use in ambient, chilled, and freezer environments
- Compatible with our range of safety barrier systems



Description	Colour	Code
Flexi-Delineator	Black & Yellow	FD-1000-BY
Flexi-Delineator	Yellow & Silver	FD-1000-YS
Flexi-Delineator	White & Red (MOQ may apply)	FD-1000-WR
Flexi-Delineator	Black & Silver	FD-1000-BS
Flexi-Delineator	White & Blue (MOQ may apply)	FD-1000-WB



PolyWRAPs Column Protectors

Brandsafe

Designed to make columns highly visible to MHE/PIT traffic operators. Clashes with columns and the protector will cushion the impact. The tough Polyethylene makes this the product of choice for most industrial facilities - no fixtures to the slab this is a simple clam-shell fitment.

The PolyWRAP is suitable for structural columns and high risk mezzanine columns where forklifts and power trucks operate.

- Designed to fit a wide range of common structural steel columns to provide impact protection
- Vibrant colours to make them highly visible to drivers
- Simple clam-shell design make it quick and easy to install and secure with ratchet straps
- Stackable design with impact absorbing cores reduces the impact damage done to vehicles



Code	Suits Column Size (mm)
PW-200	210
PW-300	320
PW-370	380
PW-420	420
PW-600	620
PW-900	920

PolyWRAP SpaceSavers

Brandsafe

PolyWRAP SpaceSaver Column Protectors are quick and easy to install and are ideal for protecting mezzanine columns without taking up valuable floor space:

- Designed to make columns highly visible to traffic operators to see the column and avoid hitting it
 - Specifically designed to suit mezzanine columns where space is at a premium
 - PolyWRAP SpaceSaver column protector will cushion the impact, avoiding damage to both the vehicle and the column itself
 - Tough polyethylene construction makes this the product of choice for most industrial facilities
- Simple clam-shell design that requires no fixings to install
- The performance of the PolyWRAP SpaceSaver will depend on vehicle speeds, weights and condition of impact



Code	Suits Column Size (mm)
PWSS-100	100
PWSS-120	120
PWSS-150	150
PWSS-200	200
PWSS-250	250

Sign & Lamp PostWRAPs

Brandsafe

A 2 piece clam-shell designed Sign Post Protector with high density foam impact cores. Manufactured from tough Polyethylene with high density foam absorbing impact core. Available in 5 colour options with 3 no. diamond grade reflective bands for night time visibility. Each protector can be simply raised up to gain access to the security hatch for maintenance access.

- Quick and easy to install on-site
- Low-cost solution avoids unnecessary and expensive excavation associated with potted steel solutions
- The system incorporates an absorbing core that will take vehicle nudges and low speed impact avoiding damage to vehicle bumpers and/or the sign post itself
- Tough Polyethylene construction, will stand up to all weather conditions



- Unique Clam Shell system with security fixings
- Diamond grade 50mm hi-vis reflectors
- 1250mm High, outer diameter 285mm – max UK Manufacture internal diameter 210mm
- Can be used 'Double Stacked' at 2500mm high to suit HGV cab level visibility
- Manufactured in the UK from Polyethylene


Code	Colour
BS-SPW-1250-YS	Yellow & Silver
BS-SPW-1250-RW	Red & White
BS-SPW-1250-BY	Black & Yellow
BS-SPW-1250-BW	Black & White
BS-SPW-1250-GW	Green & White

SoftWRAPs

Brandsafe

Eliminate the risk of personnel injury in your industrial facility with the fitment of SoftWRAP column protection. A high tear resistant yellow textured vinyl canvas encasing polyethylene based medium density foam cores for easy wrap-around fitment to i-Beams, secured by 50mm Velcro seam. Typically installed at 1100mm or 1800mm heights.

Code	Dimensions (mm)
SWC-1100-Y	1100mm x 300mm x 300mm
SWC-1800-Y	1800mm x 300mm x 300mm



CornerWRAP

Brandsafe

CornerWRAP makes exposed corners highly visible, while reflective chevron stripes provide excellent night-time visibility:

- **Medium Duty CornerWRAP** is an ideal solution for protecting vulnerable door opening corners
- **Heavy Duty CornerWRAP** is a perfect solution for exposed corners and header beams, highlighting vulnerable corners and providing a cushion under impact:
- Protects people and buildings from harmful effects
- Suitable for steel, brick, block or precast concrete walls



Code	Colour	Description
CW-LD800-BY	Black & Yellow	Medium Duty CornerWRAP
CW-LD890-BY	Black & Yellow	Heavy Duty CornerWRAP

EdgeWRAPs

Brandsafe

Provides safety and visual awareness to sharp edges in the workplace

- Easy to install foam edge protection
- Protect pedestrians from injury to heads and limbs
- Makes exposed sharp edges visible and safe
- Protects exposed edges from damage



Type	Code	Shape Description	Cutout Dimensions
A	EW-40-A	Cutout circle	Not specified
B	EW-40-B	Push-fit circle	20 x 8mm
C	EW-40-C	Semi-circle	Flat Edge: 32mm
D	EW-6020-D	Rectangle	Not specified
E	EW-40-E	Push-fit trapeze	20 x 8mm

ASK US
TO QUOTE



RACKING-UK

Storage & Workplace Equipment

*...there is no space too big
too small or too awkward*

 essexmezz@icloud.com

 www.racking-uk.com

 01621 786 630

 07831 653839