


# Pressure Pot Tanks, Pumps & Accessories

Reservoir Feed Systems for use with liquid and paste dispensing valves



# Contents

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
4	TS1205	0.5 Litre	Standard Tank	Aluminium	Aluminium	0-60 PSI	80 x 184mm	89 x 242mm	1.4kg	EPR Rubber
4	AD500ML-CT	0.5 Litre	Clear View Body	Toughened Acrylic	304 Stainless Steel	0-60 PSI	65 x 185mm	75 x 272mm	2.2kg	Viton Rubber
4	AD500ML-CTG	0.5 Litre	Clear View Body	Toughened Glass	304 Stainless Steel	0-60 PSI	65 x 185mm	75 x 272mm	2.2kg	Viton Rubber
4	AD1000ML-ST	1 Litre	Standard Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	100 x 135mm	104 x 235mm	2.8kg	Viton Rubber
4	AD1000ML-STAG	1 Litre	+ Air Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	100 x 135mm	104 x 235mm	2.9kg	Viton Rubber
4	AD1000ML-STEL	1 Litre	+ Electric Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	100 x 135mm	104 x 235mm	2.9kg	Viton Rubber
4	TS1251	1 Litre	Standard Tank	Aluminium	Aluminium	0-75 PSI	95 x 240mm	102 x 292mm	2.5kg	EPR Rubber
4	TS1251W	1 Litre	Wider Body	Aluminium	Aluminium	0-75 PSI	127 x 203mm	127 x 273mm	2.5kg	EPR Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
5	TS2220	2 Litre	Standard Tank	303 Stainless Steel	Aluminium	0-75 PSI	123 x 190mm	210 x 333mm	4.5kg	EPR Rubber
5	TS2220LS	2 Litre	+ Level Sensor	303 Stainless Steel	Aluminium	0-75 PSI	123 x 190mm	210 x 333mm	4.5kg	EPR Rubber
5	TS2220-15	2 Litre	Low Pressure	303 Stainless Steel	Aluminium	0-15 PSI	123 x 190mm	210 x 333mm	4.5kg	EPR Rubber
5	AD2000ML-CT	2 Litre	Clear View Body	Toughened Acrylic	304 Stainless Steel	0-60 PSI	150 x 160mm	166 x 265mm	6.0kg	Viton Rubber
5	AD2000ML-CTG	2 Litre	Clear View Body	Toughened Glass	304 Stainless Steel	0-60 PSI	150 x 160mm	166 x 265mm	6.0kg	Viton Rubber
5	AD2000ML-CTEL	2 Litre	+ Electric Agitation	Toughened Acrylic	304 Stainless Steel	0-60 PSI	150 x 160mm	166 x 265mm	6.0kg	Viton Rubber
5	AD2000-CTGEL	2 Litre	+ Electric Agitation	Toughened Glass	304 Stainless Steel	0-60 PSI	150 x 160mm	166 x 265mm	6.0kg	Viton Rubber
5	AD2000ML-CTAG	2 Litre	+ Air Agitation	Toughened Acrylic	304 Stainless Steel	0-60 PSI	150 x 160mm	166 x 265mm	6.0kg	Viton Rubber
5	AD2000ML-CTGAG	2 Litre	+ Air Agitation	Toughened Glass	304 Stainless Steel	0-60 PSI	150 x 160mm	166 x 265mm	6.0kg	Viton Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
6	AD2000ML-ST	2 Litre	Standard Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	100 x 270mm	104 x 360mm	3.1kg	Viton Rubber
6	AD2000ML-STAG	2 Litre	+ Air Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	100 x 270mm	104 x 360mm	3.1kg	Viton Rubber
6	AD2000ML-STEL	2 Litre	+ Electric Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	100 x 270mm	104 x 360mm	3.1kg	Viton Rubber
6	TS1254	2 Litre	Standard Tank	303 Stainless Steel	Aluminium	0-70 PSI	121 x 165mm	190 x 319mm	4.7kg	EPR Rubber
6	AD3800ML-LT	3.8 Litre	Lightweight Churn	304 Stainless Steel	304 Stainless Steel	0-100 PSI	229 x 216mm	233 x 257mm	4.5kg	EPDM Rubber
6	AD3800ML-LTSS	3.8 Litre	Lightweight Churn	316 Stainless Steel	316 Stainless Steel	0-100 PSI	229 x 216mm	233 x 257mm	4.5kg	EPDM Rubber
6	AD5000ML-CT	5 Litre	Clear View Body	Toughened Acrylic	304 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber
6	AD5000ML-CTG	5 Litre	Clear View Body	Toughened Glass	304 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
7	AD5000ML-CTEL	5 Litre	+ Electric Agitation	Toughened Acrylic	304 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber
7	AD5000ML-CTGEL	5 Litre	+ Electric Agitation	Toughened Glass	304 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber
7	AD5000ML-CTAG	5 Litre	+ Air Agitation	Toughened Acrylic	304 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber
7	AD5000ML-CTGAG	5 Litre	+ Air Agitation	Toughened Glass	304 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber
7	AD5000ML-CTGSS	5 Litre	Clear View Body	Toughened Glass	316 Stainless Steel	0-60 PSI	150 x 160mm	160 x 405mm	6.3kg	Viton Rubber
7	AD5000ML-ST	5 Litre	Standard Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	150 x 315mm	154 x 412mm	5.7kg	Viton Rubber
7	AD5000ML-STSS	5 Litre	High Grade SS	316 Stainless Steel	316 Stainless Steel	0-100 PSI	150 x 315mm	154 x 412mm	5.7kg	Viton Rubber
7	AD5000ML-STAG	5 Litre	+ Air Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	150 x 315mm	154 x 412mm	5.7kg	Viton Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
8	AD5000ML-STEL	5 Litre	+ Electric Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	150 x 315mm	154 x 412mm	5.7kg	Viton Rubber
8	TS1258	5 Litre	Standard Tank	Aluminium	Aluminium	0-100 PSI	155 x 279mm	236 x 284mm	5.2kg	Viton Rubber
8	TS2250	5 Litre	Standard Tank	303 Stainless Steel	Aluminium	0-75 PSI	162 x 241mm	271 x 381mm	5.0kg	EPR Rubber
8	TS2250LS	5 Litre	+ Level Sensor	303 Stainless Steel	Aluminium	0-75 PSI	162 x 241mm	271 x 381mm	5.0kg	EPR Rubber
8	TS2250-15	5 Litre	Low Pressure	303 Stainless Steel	Aluminium	0-15 PSI	162 x 241mm	271 x 381mm	5.0kg	EPR Rubber
8	AD7600ML-LT	7.6 Litre	Lightweight Churn	304 Stainless Steel	304 Stainless Steel	0-100 PSI	229 x 296mm	233 x 299mm	5.5kg	EPDM Rubber
8	AD7600ML-LTSS	7.6 Litre	Lightweight Churn	316 Stainless Steel	316 Stainless Steel	0-100 PSI	229 x 296mm	233 x 299mm	5.5kg	EPDM Rubber
8	AD1000CL-CT	10 Litre	Clear View Body	Toughened Acrylic	304 Stainless Steel	0-100 PSI	190 x 360mm	212 x 465mm	7.5kg	Viton Rubber
8	AD1000ML-CTG	10 Litre	Clear View Body	Toughened Glass	304 Stainless Steel	0-60 PSI	190 x 360mm	212 x 465mm	7.5kg	Viton Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
9	AD1000CL-CTEL	10 Litre	+ Electric Agitation	Toughened Acrylic	304 Stainless Steel	0-100 PSI	190 x 360mm	212 x 465mm	7.5kg	Viton Rubber
9	AD1000CL-CTGEL	10 Litre	+ Electric Agitation	Toughened Glass	304 Stainless Steel	0-100 PSI	190 x 360mm	212 x 465mm	7.5kg	Viton Rubber
9	AD1000CL-CTAG	10 Litre	+ Air Agitation	Toughened Acrylic	304 Stainless Steel	0-100 PSI	190 x 360mm	212 x 465mm	7.5kg	Viton Rubber
9	AD1000CL-CTGSS	10 Litre	+ Air Agitation	Toughened Glass	316 Stainless Steel	0-100 PSI	190 x 360mm	212 x 465mm	7.5kg	Viton Rubber
9	AD1000CL-ST	10 Litre	Standard Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	200 x 361mm	206 x 484mm	15.5kg	Viton Rubber
9	AD1000CL-STSS	10 Litre	High Grade SS	316 Stainless Steel	316 Stainless Steel	0-100 PSI	200 x 361mm	206 x 484mm	15.5kg	Viton Rubber
9	AD1000CL-STAG	10 Litre	+ Air Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	200 x 361mm	206 x 484mm	16kg	Viton Rubber
9	AD1000CL-STEL	10 Litre	+ Electric Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	200 x 361mm	206 x 484mm	18kg	Viton Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
10	TS22100LS	10 Litre	Standard Tank	303 Stainless Steel	Aluminium	0-75 PSI	200 x 291mm	306 x 430mm	8.0kg	Viton Rubber
10	AD1140CL-LT	11.4 Litre	Lightweight Churn	304 Stainless Steel	304 Stainless Steel	0-100 PSI	229 x 387mm	233 x 443mm	5.5kg	EPDM Rubber
10	AD1140CL-LTSS	11.4 Litre	Lightweight Churn	316 Stainless Steel	316 Stainless Steel	0-100 PSI	229 x 387mm	233 x 443mm	5.5kg	EPDM Rubber
10	TS2216	16 Litre	Standard Tank	303 Stainless Steel	Aluminium	0-45 PSI	250 x 350mm	360 x 498mm	12kg	EPR Rubber
10	AD1900CL-LT	19 Litre	Lightweight Churn	304 Stainless Steel	304 Stainless Steel	0-100 PSI	229 x 571mm	233 x 620mm	9.1kg	EPDM Rubber
10	AD1900CL-LTSS	19 Litre	Lightweight Churn	316 Stainless Steel	316 Stainless Steel	0-100 PSI	229 x 571mm	233 x 620mm	9.1kg	EPDM Rubber
10	AD2500CL-ST	25 Litre	Standard Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	270 x 462mm	280 x 579mm	32.1kg	Viton Rubber
10	AD2500CL-STSS	25 Litre	High Grade SS	316 Stainless Steel	316 Stainless Steel	0-100 PSI	270 x 462mm	280 x 579mm	32.1kg	Viton Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
11	AD2500CL-STAG	25 Litre	+ Air Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	270 x 462mm	280 x 708mm	32.1kg	Viton Rubber
11	AD2500CL-STSS	25 Litre	+ Electric Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	270 x 462mm	280 x 632mm	32.1kg	Viton Rubber
11	AD3780ML-LT	37.8 Litre	Lightweight Churn	304 Stainless Steel	304 Stainless Steel	0-100 PSI	305 x 571mm	309 x 639mm	15.4kg	EPDM Rubber
11	AD3780ML-LTSS	37.8 Litre	Lightweight Churn	316 Stainless Steel	316 Stainless Steel	0-100 PSI	305 x 571mm	309 x 639mm	15.4kg	EPDM Rubber
11	AD5000CL-CT	50 Litre	Standard Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	305 x 575mm	315 x 625mm	45.1kg	Viton Rubber
11	AD5000CL-STAG	50 Litre	+ Air Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	305 x 575mm	315 x 695mm	45.1kg	Viton Rubber
11	AD5000CL-STEL	50 Litre	+ Electric Agitation	304 Stainless Steel	304 Stainless Steel	0-100 PSI	305 x 575mm	315 x 695mm	45.1kg	Viton Rubber
11	AD6000ML-LT	57 Litre	Lightweight Churn	304 Stainless Steel	304 Stainless Steel	0-100 PSI	305 x 600mm	309 x 683mm	17.3kg	EPDM Rubber
12	AD6000ML-LTSS	57 Litre	Lightweight Churn	316 Stainless Steel	316 Stainless Steel	0-100 PSI	305 x 600mm	309 x 683mm	17.3kg	EPDM Rubber

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Outlet	Chamber Size	Outer Size	Weight	Mounting
12	AD2000ML-PL	2 Litre	Gravity Feed Tank	304 Stainless Steel	304 Stainless Steel	1/4" NPT	115 x 200mm	120 x 350mm	6.1kg	150x80x3
12	AD2000ML-PLSS	2 Litre	Gravity Feed Tank	316 Stainless Steel	316 Stainless Steel	1/4" NPT	115 x 200mm	120 x 350mm	6.1kg	150x80x3
12	AD7500ML-PL	7.5 Litre	Gravity Feed Tank	304 Stainless Steel	304 Stainless Steel	1/4" NPT	197 x 250mm	203 x 285mm	7.1kg	150x80x3
12	AD7500ML-PLSS	7.5 Litre	Gravity Feed Tank	316 Stainless Steel	316 Stainless Steel	1/4" NPT	197 x 250mm	203 x 285mm	7.1kg	150x80x3
12	AD1650CL-PV	16.5 Litre	Gravity Feed Tank	304 Stainless Steel	304 Stainless Steel	1/4" NPT	197 x 550mm	203 x 575mm	9.1kg	150x120x3
12	AD1650CL-PVSS	16.5 Litre	Gravity Feed Tank	316 Stainless Steel	316 Stainless Steel	1/4" NPT	197 x 550mm	203 x 575mm	9.1kg	150x120x3
12	AD2500CL-PV	25 Litre	Gravity Feed Tank	304 Stainless Steel	304 Stainless Steel	1/4" NPT	390 x 360mm	400 x 363mm	11kg	150x120x3
13	AD2500CL-PVSS	25 Litre	Gravity Feed Tank	316 Stainless Steel	316 Stainless Steel	1/4" NPT	390 x 360mm	400 x 363mm	11kg	150x120x3

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
13	AD5000CL-PV	50 Litre	Gravity Feed Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	390 x 560mm	400 x 565mm	19kg	150x120x3
13	AD5000CL-PVSS	50 Litre	Gravity Feed Tank	316 Stainless Steel	316 Stainless Steel	0-100 PSI	390 x 560mm	400 x 565mm	19kg	150x120x3
13	AD10000CL-PV	100 Litre	Gravity Feed Tank	304 Stainless Steel	304 Stainless Steel	0-100 PSI	490 x 660mm	500 x 663mm	35kg	150x120x3
13	AD10000CL-PVSS	100 Litre	Gravity Feed Tank	316 Stainless Steel	316 Stainless Steel	0-100 PSI	490 x 660mm	500 x 663mm	35kg	150x120x3

# Contents

Page	Part Code	Tank Size	Tank Type	Tank Body	Tank Lid	Pressure	Chamber Size	Outer Size	Weight	Closure Seal
13	AD900ML-SC	32 Ounce	Cartridge Feed	Coated Steel	304 Stainless Steel	0-30 PSI	65.3 x 350mm	185 x 446mm	1kg	Viton Rubber
13	AD2000ML-PT	2 Litre	High Pressure Tank	303 Stainless Steel	303 Stainless Steel	0-100 PSI	130 x 230mm	189 x 316mm	12kg	EPDM Rubber
13	AD2000ML-PTKIT	2 Litre	+ Dispensing Valve	303 Stainless Steel	303 Stainless Steel	0-100 PSI	130 x 230mm	189 x 316mm	12kg	EPDM Rubber

Page	Part Code	For Pails	Pump Type	Pressure Out	Delivery Rate	Inlet	Outlet	Max. Cycle Rate	Weight	Type
14	TS1400-CCS22-5G	5 Gallon	Pail Pump 22:1	660-3412 PSI	7.2 Litre/Minute	1" NPT	1" NPT	60/Minute	49.2kg	Pneumatic
14	TS1400-CCS43-5G	5 Gallon	Pail Pump 43:1	660-3412 PSI	7.2 Litre/Minute	1" NPT	1" NPT	60/Minute	49.2kg	Pneumatic
14	TS1400-RPMP-23	55 Gallon	Pail Pump 23:1	660-7485 PSI	8.8 Litre/Minute	1" NPT	1" NPT	60/Minute	67.1kg	Pneumatic
14	TS1400-RPMP-46	55 Gallon	Pail Pump 46:1	660-7485 PSI	8.8 Litre/Minute	1" NPT	1" NPT	60/Minute	67.1kg	Pneumatic

Page	Part Code	For Pails	Pump Type	Pressure Out	Max. Viscosity	Inlet	Container ID	Container Height	Delivery	Type
14	AXKP1-S25	1-5kg	Mini Pail Pump	2175 PSI Max.	1 Million CPS	1/4" BSP	80-300mm	285mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
14	AXKP1-S60	1-5kg	Mini Pail Pump	2175 PSI Max.	1 Million CPS	1/4" BSP	80-300mm	285mm Max.	1500cm <sup>3</sup> /minute	Pneumatic

Page	Part Code	For Cartridges	Pump Type	Pressure Out	Max. Viscosity	Inlet	Inlet Pressure	Suction Tube	Delivery	Type
14	AXCP1-S25-DIN	400 Gram	Grease Cartridges	0-2175 PSI	1 Million CPS	1/4" BSP	145 PSI Max.	32mm Dia.	1500cm <sup>3</sup> /minute	Pneumatic
14	AXCP1-S60-DIN	400 Gram	Grease Cartridges	0-2175 PSI	1 Million CPS	1/4" BSP	145 PSI Max.	32mm Dia.	700cm <sup>3</sup> /minute	Pneumatic

Page	Part Code	For Pails	Pump Type	Pressure Out	Max. Viscosity	Inlet	Container ID	Container Height	Delivery	Type
15	4033000	14-18kg	5:1 Ratio Pump	390-650 PSI	5000 CPS	1/4" BSP	255-280mm	370mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
15	4033100	20-25kg	5:1 Ratio Pump	390-650 PSI	5000 CPS	1/4" BSP	290-330mm	470mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
15	4033111	20kg Conical	5:1 Ratio Pump	390-650 PSI	5000 CPS	1/4" BSP	260-290mm	470mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
15	4033110	20kg Conical	5:1 Ratio Pump	390-650 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
15	4031000	14-18kg	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	255-280mm	370mm Max.	1190cm <sup>3</sup> /minute	Pneumatic
15	4031100	20-25kg	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	290-330mm	470mm Max.	1190cm <sup>3</sup> /minute	Pneumatic
15	4031111	20kg	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	260-290mm	470mm Max.	1190cm <sup>3</sup> /minute	Pneumatic
15	4031110	20kg Conical	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	1500cm <sup>3</sup> /minute	Pneumatic

Page	Part Code	For Pails	Pump Type	Pressure Out	Max. Viscosity	Inlet	Container ID	Container Height	Delivery	Type
16	4031500	14-18kg	10:1 Ratio Pump	870-1450 PSI	5000 CPS	1/4" BSP	255-280mm	365mm Max.	1720cm <sup>3</sup> /minute	Pneumatic
16	4031600	20-25kg	10:1 Ratio Pump	870-1450 PSI	5000 CPS	1/4" BSP	290-330mm	470mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
16	4031611	20kg Conical	10:1 Ratio Pump	870-1450 PSI	5000 CPS	1/4" BSP	260-290mm	470mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
16	4031610	25kg Conical	10:1 Ratio Pump	870-1450 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
16	4031615	25kg Conical	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	1190cm <sup>3</sup> /minute	Pneumatic
16	4032000	14-18kg	20:1 Ratio Pump	1665-2770 PSI	5000 CPS	1/4" BSP	255-280mm	370mm Max.	890cm <sup>3</sup> /minute	Pneumatic
16	4032100	20-25kg	20:1 Ratio Pump	1665-2770 PSI	5000 CPS	1/4" BSP	255-280mm	370mm Max.	890cm <sup>3</sup> /minute	Pneumatic
16	4032100	20-25kg	20:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	890cm <sup>3</sup> /minute	Pneumatic
16	4032111	20kg Conical	20:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	260-290mm	470mm Max.	890cm <sup>3</sup> /minute	Pneumatic

Page	Part Code	For Pails	Pump Type	Pressure Out	Max. Viscosity	Inlet	Container ID	Container Height	Delivery	Type
17	4032110	25kg Conical	20:1 Ratio Pump	870-1450 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	890cm <sup>3</sup> /minute	Pneumatic
17	4032500	14-18kg	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	255-280mm	365mm Max.	1295cm <sup>3</sup> /minute	Pneumatic
17	4032600	20-25kg	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	290-330mm	470mm Max.	1295cm <sup>3</sup> /minute	Pneumatic
17	4032611	20kg Conical	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	260-290mm	470mm Max.	1295cm <sup>3</sup> /minute	Pneumatic
17	4032610	25kg Conical	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	1295cm <sup>3</sup> /minute	Pneumatic
17	4032615	25kg Conical	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	306-335mm	406mm Max.	1295cm <sup>3</sup> /minute	Pneumatic
17	4033220	50kg	5:1 Ratio Pump	390-650 PSI	5000 CPS	1/4" BSP	350-410mm	640mm Max.	1500cm <sup>3</sup> /minute	Pneumatic
17	4033400	180kg	5:1 Ratio Pump	390-650 PSI	5000 CPS	1/4" BSP	560-600mm	870mm Max.	1500cm <sup>3</sup> /minute	Pneumatic

Page	Part Code	For Pails	Pump Type	Pressure Out	Max. Viscosity	Inlet	Container ID	Container Height	Delivery	Type
18	4031200	50kg	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	350-410mm	640mm Max.	1190cm <sup>3</sup> /minute	Pneumatic
18	4031400	180kg	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	560-600mm	870mm Max.	1190cm <sup>3</sup> /minute	Pneumatic
18	4031700	50kg	10:1 Ratio Pump	870-1450 PSI	5000 CPS	1/4" BSP	350-410mm	715mm Max.	1720cm <sup>3</sup> /minute	Pneumatic
18	4031900	180kg	10:1 Ratio Pump	970-1600 PSI	5000 CPS	1/4" BSP	560-600mm	870mm Max.	1720cm <sup>3</sup> /minute	Pneumatic
18	4032200	50kg	20:1 Ratio Pump	1667-2770 PSI	5000 CPS	1/4" BSP	350-410mm	640mm Max.	890cm <sup>3</sup> /minute	Pneumatic
18	4034200	180kg	20:1 Ratio Pump	1667-2770 PSI	5000 CPS	1/4" BSP	560-600mm	870mm Max.	890cm <sup>3</sup> /minute	Pneumatic
18	4033700	50kg	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	350-410mm	715mm Max.	1295cm <sup>3</sup> /minute	Pneumatic
18	4032900	180kg	25:1 Ratio Pump	2030-3380 PSI	5000 CPS	1/4" BSP	560-600mm	870mm Max.	1295cm <sup>3</sup> /minute	Pneumatic

Page	Part Code	For Pails	Voltage	Pressure Out	Max. Viscosity	Inlet	Suction Tube	Container Height	Delivery	Type
19	AX-2000-1-M	14-18kg	230V AC/ 50 Hz	2900 PSI Max.	5000 CPS	1/4" BSP	32mm Dia.	370mm Max.	280cm <sup>3</sup> /minute	Electric
19	AX-2000-2-M	20-25kg	230V AC/ 50 Hz	2900 PSI Max.	5000 CPS	1/4" BSP	32mm Dia.	470mm Max.	280cm <sup>3</sup> /minute	Electric
19	AX-2000-3-M	50kg	230V AC/ 50 Hz	2900 PSI Max.	5000 CPS	1/4" BSP	32mm Dia.	640mm Max.	280cm <sup>3</sup> /minute	Electric
19	AX-2000-4-M	180kg	230V AC/ 50 Hz	2900 PSI Max.	5000 CPS	1/4" BSP	32mm Dia.	870mm Max.	280cm <sup>3</sup> /minute	Electric

Page	Part Code	For Pails	Pump Type	Pressure Out	Max. Viscosity	Inlet	Container ID	Container Height	Delivery	Type
19	AXFP1-S25	1-5kg	230V AC/ 50 Hz	2175-3625 PSI	1 Million CPS	1/4" BSP	80-298mm	270mm Max.	1500cm <sup>3</sup> /minute	Electric
19	AXFP1-S60	1-5kg	230V AC/ 50 Hz	5221-8700 PSI	1 Million CPS	1/4" BSP	80-298mm	270mm Max.	700cm <sup>3</sup> /minute	Electric
19	AXFP3-S25	Up To 50kg	230V AC/ 50 Hz	2175-3625 PSI	1 Million CPS	1/4" BSP	175-410mm	720mm Max.	1500cm <sup>3</sup> /minute	Electric
19	AXFP3-S60	Up To 50kg	230V AC/ 50 Hz	5221-8700 PSI	1 Million CPS	1/4" BSP	175-410mm	720mm Max.	700cm <sup>3</sup> /minute	Electric

Page	Part Code	For Tank Sizes	For Tank Series	Type	Material	Colour	Pack Sizes
20	AD1000ML-ST-BG	1 Litre	ST, TS, CT	Disposable Tank Liners	Polythene with Bio Additive	Natural Clear	10, 50, 100, 250, 500, 1000
20	AD1000ML-ST-BG	2 & 5 Litre	ST, TS, CT	Disposable Tank Liners	Polythene with Bio Additive	Natural Clear	10, 50, 100, 250, 500, 1000
20	AD5000ML-ST-BG-A	1, 2 & 5 Litre	ST, TS, CT	Disposable Tank Liners	Soft Aluminium Sheet	Silver	10, 50, 100, 250, 500, 1000
20	AD1000ML-ST-BG-A	10 Litre	ST, TS, CT	Disposable Tank Liners	Soft Aluminium Sheet	Silver	10, 50, 100, 250, 500, 1000
20	AD2500ML-ST-BG-A	25 Litre	ST, TS, CT	Disposable Tank Liners	Soft Aluminium Sheet	Silver	10, 50, 100, 250, 500, 1000

Page	Part Code	For Tank Sizes	For Tank Series	Type	Voltage	Temperature Range	Material	Colour
20	ADTCJ-1L-ST	1 Litre	ST Series	Temperature Control Heated Jacket	230V AC	0-100 C	Polyester/ Wool	Blue
20	ADTCJ-2L-ST	2 Litre	ST Series	Temperature Control Heated Jacket	230V AC	0-100 C	Polyester/ Wool	Blue
20	ADTCJ-5L-ST	5 Litre	ST Series	Temperature Control Heated Jacket	230V AC	0-100 C	Polyester/ Wool	Blue
20	ADTCJ-10L-ST	10 Litre	ST Series	Temperature Control Heated Jacket	230V AC	0-100 C	Polyester/ Wool	Blue
20	ADTCJ-25L-ST	25 Litre	ST Series	Temperature Control Heated Jacket	230V AC	0-100 C	Polyester/ Wool	Blue

Page	Product	Barrel Size	Voltage	Min Speed	Max Speed	Torque
20	AD10ML-AG	10cc	24VDC	20 RPM	5000 RPM	21 Nm
20	AD30ML-AG	30cc	24VDC	20 RPM	5000 RPM	21 Nm
20	AD55ML-AG	55cc	24VDC	20 RPM	5000 RPM	21 Nm

Page	Product
21	Dowel Pin Spare
21	Nipple Adapter Replacement
21	Air Tube Fittings
21	Fluid Compression Fittings
21	Feed Tubing

Page	Product
21	Air Regulators/ Gauges
21	Optional Tank Modifications
21	Dip Tube Spares
21	Manual Pail Pumps
21	Tank Motors/ Tank Trolleys

Page	Product	Page	Product
20	O-Ring Gasket Replacements	20	S/S Shelf/ SS Housing
20	Float Switch Level Sensors	21	Tank Mixer Blades
20	Inductive/ Capacitive Sensors	21	Swing Bolts
20	Pressure Relief Valves	21	Star Grips
20	3-Way Ball Valves	21	Replacement Circlip Spare

Please contact us for data sheets on any product, pricing and lead times. All tank products are CE approved and supplied with warranty.

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



**500ml Size Tank**  
 Part ID: TS1205  
 Size: 500ml  
 Body Material: Aluminium  
 Outer: 89mm Wide x 242mm High  
 Chamber: 80mm Wide x 184mm High  
 Weight: 1.4kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 3 Plastic Star Grips  
 Commodity Code: 84798997



**500ml Size Tank**  
 Part ID: AD500ML-CT  
 Size: 500ml  
 Body Material: Toughened Acrylic  
 Outer: 75mm Wide x 272mm High  
 Chamber: 65mm Wide x 185mm High  
 Weight: 2.2kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 3 Plastic Star Grips  
 Commodity Code: 84798997



**500ml Size Tank**  
 Part ID: AD500ML-CTG  
 Size: 500ml  
 Body Material: Toughened Glass  
 Outer: 75mm Wide x 272mm High  
 Chamber: 65mm Wide x 185mm High  
 Weight: 2.2kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 3 Plastic Star Grips  
 Commodity Code: 84798997



**1 Litre Size Tank**  
 Part ID: AD1000ML-ST  
 Size: 1000ml  
 Body Material: 304 Stainless Steel  
 Outer: 104mm Wide x 235mm High  
 Chamber: 100mm Wide x 135mm High  
 Weight: 2.8kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 2 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



**1 Litre Size Tank with Agitation**  
 Part ID: AD1000ML-STAG  
 Size: 1000ml (Pneumatic Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 104mm Wide x 235mm High  
 Chamber: 100mm Wide x 135mm High  
 Weight: 2.8kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 2 Steel Wing Grips  
 Commodity Code: 84798997



**1 Litre Size Tank with Agitation**  
 Part ID: AD1000ML-STEL  
 Size: 1000ml (Electric Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 104mm Wide x 235mm High  
 Chamber: 100mm Wide x 135mm High  
 Weight: 2.8kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 2 Steel Wing Grips  
 Commodity Code: 84798997



**1 Litre Size Tank**  
 Part ID: TS1251  
 Size: 1000ml  
 Body Material: Aluminium  
 Outer: 102mm Wide x 292mm High  
 Chamber: 95mm Wide x 240mm High  
 Weight: 2.5kg  
 Max. Pressure: 75 PSI (5.17 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 3 Plastic Star Grips  
 Commodity Code: 84798997



**1 Litre Size Tank Wide Body**  
 Part ID: TS1251W  
 Size: 1000ml  
 Body Material: Aluminium  
 Outer: 127mm Wide x 273mm High  
 Chamber: 120mm Wide x 203mm High  
 Weight: 2.5kg  
 Max. Pressure: 75 PSI (5.17 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 3 Plastic Star Grips  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



### 2 Litre Size Tank

Part ID: TS2220 / TS2220LS  
 Size: 2000ml  
 Body Material: 303 Stainless Steel  
 Outer: 210mm Wide x 333mm High  
 Chamber: 123mm Wide x 190mm High  
 Weight: 4.5kg  
 Max. Pressure: 75 PSI (5.17 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 2 Litre Size Tank

Part ID: TS2220-15  
 Size: 2000ml  
 Body Material: 303 Stainless Steel  
 Outer: 210mm Wide x 333mm High  
 Chamber: 123mm Wide x 190mm High  
 Weight: 4.5kg  
 Max. Pressure: 15 PSI (1 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 2 Litre Size Tank

Part ID: AD2000ML-CT  
 Size: 2000ml  
 Body Material: Toughened Acrylic  
 Outer: 166mm Wide x 265mm High  
 Chamber: 150mm Wide x 160mm High  
 Weight: 6.0kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank

Part ID: AD2000ML-CTG  
 Size: 2000ml  
 Body Material: Toughened Glass  
 Outer: 166mm Wide x 265mm High  
 Chamber: 150mm Wide x 160mm High  
 Weight: 6.0kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank with Agitation

Part ID: AD2000ML-CTEL  
 Size: 2000ml (Electric Agitation)  
 Body Material: Toughened Acrylic  
 Outer: 166mm Wide x 265mm High  
 Chamber: 150mm Wide x 160mm High  
 Weight: 6.0kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank with Agitation

Part ID: AD2000ML-CTGEL  
 Size: 2000ml (Electric Agitation)  
 Body Material: Toughened Glass  
 Outer: 166mm Wide x 265mm High  
 Chamber: 150mm Wide x 160mm High  
 Weight: 6.0kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank with Agitation

Part ID: AD2000ML-CTAG  
 Size: 2000ml (Pneumatic Agitation)  
 Body Material: Toughened Acrylic  
 Outer: 166mm Wide x 265mm High  
 Chamber: 150mm Wide x 160mm High  
 Weight: 6.0kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank with Agitation

Part ID: AD2000ML-CTGAG  
 Size: 2000ml (Pneumatic Agitation)  
 Body Material: Toughened Glass  
 Outer: 166mm Wide x 265mm High  
 Chamber: 150mm Wide x 160mm High  
 Weight: 6.0kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



### 2 Litre Size Tank

Part ID: AD2000ML-ST  
 Size: 2000ml  
 Body Material: 304 Stainless Steel  
 Outer: 104mm Wide x 360mm High  
 Chamber: 100mm Wide x 270mm High  
 Weight: 3.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 2 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 2 Litre Size Tank with Agitation

Part ID: AD2000ML-STAG  
 Size: 2000ml (Pneumatic Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 104mm Wide x 459mm High  
 Chamber: 100mm Wide x 270mm High  
 Weight: 3.2kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 2 Steel Wing Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank with Agitation

Part ID: AD2000ML-STEL  
 Size: 2000ml (Electric Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 104mm Wide x 431mm High  
 Chamber: 100mm Wide x 270mm High  
 Weight: 3.2kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 2 Steel Wing Grips  
 Commodity Code: 84798997



### 2 Litre Size Tank

Part ID: TS1254  
 Size: 2000ml  
 Body Material: 303 Stainless Steel  
 Outer: 190mm Wide x 318mm High  
 Chamber: 121mm Wide x 165mm High  
 Weight: 4.7kg  
 Max. Pressure: 70 PSI (4.80 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 3.8 Litre Size Tank

Part ID: AD3800ML-LT  
 Size: 3800ml  
 Body Material: 304 Stainless Steel  
 Outer: 233mm Wide x 257mm High  
 Chamber: 229mm Wide x 216mm High  
 Weight: 4.5kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 3.8 Litre Size Tank

Part ID: AD3800ML-LTSS  
 Size: 3800ml  
 Body Material: 316 Stainless Steel  
 Outer: 233mm Wide x 257mm High  
 Chamber: 229mm Wide x 216mm High  
 Weight: 4.5kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: AD5000ML-CT  
 Size: 5000ml  
 Body Material: Toughened Acrylic  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: AD5000ML-CTG  
 Size: 5000ml  
 Body Material: Toughened Glass  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



### 5 Litre Size Tank with Agitation

Part ID: AD5000ML-CTEL  
 Size: 5000ml (Electric Agitation)  
 Body Material: Toughened Acrylic  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank with Agitation

Part ID: AD5000ML-CTGEL  
 Size: 5000ml (Electric Agitation)  
 Body Material: Toughened Glass  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank with Agitation

Part ID: AD5000ML-CTAG  
 Size: 5000ml (Pneumatic Agitation)  
 Body Material: Toughened Acrylic  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank with Agitation

Part ID: AD5000ML-CTGAG  
 Size: 5000ml (Pneumatic Agitation)  
 Body Material: Toughened Glass  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: AD5000ML-CTGSS  
 Size: 5000ml  
 Body Material: Toughened Glass/ SS  
 Outer: 160mm Wide x 405mm High  
 Chamber: 150mm Wide x 300mm High  
 Weight: 6.3kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: AD5000ML-ST  
 Size: 5000ml  
 Body Material: 304 Stainless Steel  
 Outer: 154mm Wide x 412mm High  
 Chamber: 150mm Wide x 315mm High  
 Weight: 5.7kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: AD5000ML-STSS  
 Size: 5000ml  
 Body Material: 316 Stainless Steel  
 Outer: 154mm Wide x 412mm High  
 Chamber: 150mm Wide x 315mm High  
 Weight: 5.7kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 5 Litre Size Tank with Agitation

Part ID: AD5000ML-STAG  
 Size: 5000ml (Pneumatic Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 154mm Wide x 505mm High  
 Chamber: 150mm Wide x 315mm High  
 Weight: 7.8kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



### 5 Litre Size Tank with Agitation

Part ID: AD5000ML-STEL  
 Size: 5000ml (Electric Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 154mm Wide x 505mm High  
 Chamber: 150mm Wide x 315mm High  
 Weight: 7.8kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: TS1258  
 Size: 5000ml  
 Body Material: Anodised Aluminium  
 Outer: 236mm Wide x 284mm High  
 Chamber: 155mm Wide x 279mm High  
 Weight: 5.7kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: TS2250 / TS2250LS  
 Size: 5000ml  
 Body Material: 303 Stainless Steel  
 Outer: 271mm Wide x 380mm High  
 Chamber: 162mm Wide x 241mm High  
 Weight: 4.7kg  
 Max. Pressure: 75 PSI (5.17 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 5 Litre Size Tank

Part ID: TS2250-15  
 Size: 5000ml  
 Body Material: 303 Stainless Steel  
 Outer: 271mm Wide x 380mm High  
 Chamber: 162mm Wide x 241mm High  
 Weight: 4.7kg  
 Max. Pressure: 15 PSI (1 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 7.6 Litre Size Tank

Part ID: AD7600ML-LT  
 Size: 7600ml  
 Body Material: 304 Stainless Steel  
 Outer: 233mm Wide x 299mm High  
 Chamber: 229mm Wide x 296mm High  
 Weight: 5.5kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 7.6 Litre Size Tank

Part ID: AD7600ML-LTSS  
 Size: 7600ml  
 Body Material: 316 Stainless Steel  
 Outer: 233mm Wide x 299mm High  
 Chamber: 229mm Wide x 296mm High  
 Weight: 5.5kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 10 Litre Size Tank

Part ID: AD1000CL-CT  
 Size: 10000ml  
 Body Material: Toughened Acrylic  
 Outer: 212mm Wide x 465mm High  
 Chamber: 190mm Wide x 360mm High  
 Weight: 7.5kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 10 Litre Size Tank

Part ID: AD1000CL-CTG  
 Size: 10000ml  
 Body Material: Toughened Glass  
 Outer: 212mm Wide x 465mm High  
 Chamber: 190mm Wide x 360mm High  
 Weight: 7.5kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



### 10 Litre Size Tank with Agitation

Part ID: AD1000CL-CTEL  
 Size: 10000ml (Electric Agitation)  
 Body Material: Toughened Acrylic  
 Outer: 212mm Wide x 465mm High  
 Chamber: 190mm Wide x 360mm High  
 Weight: 7.5kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 10 Litre Size Tank with Agitation

Part ID: AD1000CL-CTGEL  
 Size: 10000ml (Electric Agitation)  
 Body Material: Toughened Glass  
 Outer: 212mm Wide x 465mm High  
 Chamber: 190mm Wide x 360mm High  
 Weight: 7.5kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 10 Litre Size Tank with Agitation

Part ID: AD1000CL-CTAG  
 Size: 10000ml (Pneumatic Agitation)  
 Body Material: Toughened Acrylic  
 Outer: 212mm Wide x 465mm High  
 Chamber: 190mm Wide x 360mm High  
 Weight: 7.5kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 10 Litre Size Tank with Agitation

Part ID: AD1000CL-CTGSS  
 Size: 10000ml (Pneumatic Agitation)  
 Body Material: Toughened Glass/ SS  
 Outer: 212mm Wide x 465mm High  
 Chamber: 190mm Wide x 360mm High  
 Weight: 7.5kg  
 Max. Pressure: 60 PSI (4 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Plastic Star Grips  
 Commodity Code: 84798997



### 10 Litre Size Tank

Part ID: AD1000CL-ST  
 Size: 10000ml  
 Body Material: 304 Stainless Steel  
 Outer: 206mm Wide x 484mm High  
 Chamber: 200mm Wide x 361mm High  
 Weight: 15.5kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 10 Litre Size Tank

Part ID: AD1000CL-STSS  
 Size: 10000ml  
 Body Material: 316 Stainless Steel  
 Outer: 206mm Wide x 484mm High  
 Chamber: 200mm Wide x 361mm High  
 Weight: 15.5kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 10 Litre Size Tank with Agitation

Part ID: AD1000CL-STAG  
 Size: 10000ml (Pneumatic Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 206mm Wide x 604mm High  
 Chamber: 200mm Wide x 361mm High  
 Weight: 16kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997



### 10 Litre Size Tank with Agitation

Part ID: AD1000CL-STEL  
 Size: 10000ml (Electric Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 206mm Wide x 528mm High  
 Chamber: 200mm Wide x 360mm High  
 Weight: 18kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. CE approved with 1 Year Warranty on all tanks.



### 10 Litre Size Tank

Part ID: TS22100LS  
 Size: 10000ml  
 Body Material: 303 Stainless Steel  
 Outer: 306mm Wide x 430mm High  
 Chamber: 200mm Wide x 291mm High  
 Weight: 14kg  
 Max. Pressure: 75 PSI (5.17 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 11.4 Litre Size Tank

Part ID: AD1140CL-LTSS  
 Size: 11400ml  
 Body Material: 316 Stainless Steel  
 Outer: 233mm Wide x 443mm High  
 Chamber: 229mm Wide x 387mm High  
 Weight: 7.0kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 11.4 Litre Size Tank

Part ID: AD1140CL-LT  
 Size: 11400ml  
 Body Material: 304 Stainless Steel  
 Outer: 233mm Wide x 443mm High  
 Chamber: 229mm Wide x 387mm High  
 Weight: 7.0kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 16 Litre Size Tank

Part ID: TS2216  
 Size: 16000ml  
 Body Material: 303 Stainless Steel  
 Outer: 360mm Wide x 498mm High  
 Chamber: 250mm Wide x 359mm High  
 Weight: 12kg  
 Max. Pressure: 45 PSI (3 Bar)  
 Closure Seal: EPR Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 19 Litre Size Tank

Part ID: AD1900CL-LT  
 Size: 19000ml  
 Body Material: 304 Stainless Steel  
 Outer: 233mm Wide x 620mm High  
 Chamber: 229mm Wide x 571mm High  
 Weight: 9.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 19 Litre Size Tank

Part ID: AD1900-LTSS  
 Size: 19000ml  
 Body Material: 316 Stainless Steel  
 Outer: 233mm Wide x 620mm High  
 Chamber: 229mm Wide x 571mm High  
 Weight: 9.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 25 Litre Size Tank

Part ID: AD2500CL-ST  
 Size: 25000ml  
 Body Material: 304 Stainless Steel  
 Outer: 280mm Wide x 579mm High  
 Chamber: 270mm Wide x 462mm High  
 Weight: 32.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 25 Litre Size Tank

Part ID: AD2500CL-STSS  
 Size: 25000ml  
 Body Material: 316 Stainless Steel  
 Outer: 280mm Wide x 579mm High  
 Chamber: 270mm Wide x 462mm High  
 Weight: 32.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997

# Pressure Pot Tanks

## For use with fluid dispensing valves

Pressure pots feed low to medium viscosity liquids to dispensing valves. Available in a wide range of tank sizes, designs and materials. With adjustable regulators and gauges. Versions available with pneumatic or electric agitation. Gravity feed tank for watery liquids only.



### 25 Litre Size Tank with Agitation

Part ID: AD2500CL-STAG  
 Size: 25000ml (Pneumatic Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 280mm Wide x 708mm High  
 Chamber: 270mm Wide x 462mm High  
 Weight: 32.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997



### 25 Litre Size Tank with Agitation

Part ID: AD2500CL-STEL  
 Size: 25000ml (Electric Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 280mm Wide x 632mm High  
 Chamber: 270mm Wide x 462mm High  
 Weight: 32.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997



### 37.8 Litre Size Tank

Part ID: AD3780CL-LT  
 Size: 37800ml  
 Body Material: 304 Stainless Steel  
 Outer: 309mm Wide x 639mm High  
 Chamber: 305mm Wide x 571mm High  
 Weight: 15.4kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 37.8 Litre Size Tank

Part ID: AD3780-LTSS  
 Size: 37800ml  
 Body Material: 316 Stainless Steel  
 Outer: 309mm Wide x 639mm High  
 Chamber: 305mm Wide x 571mm High  
 Weight: 15.4kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 50 Litre Size Tank

Part ID: AD5000CL-ST  
 Size: 50000ml  
 Body Material: 304 Stainless Steel  
 Outer: 315mm Wide x 625mm High  
 Chamber: 305mm Wide x 575mm High  
 Weight: 45.1kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips/ Stars  
 Commodity Code: 84798997



### 50 Litre Size Tank with Agitation

Part ID: AD5000CL-STAG  
 Size: 50000ml (Pneumatic Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 315mm Wide x 695mm High  
 Chamber: 305mm Wide x 575mm High  
 Weight: 38kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997



### 50 Litre Size Tank with Agitation

Part ID: AD5000CL-STEL  
 Size: 50000ml (Electric Agitation)  
 Body Material: 304 Stainless Steel  
 Outer: 315mm Wide x 695mm High  
 Chamber: 305mm Wide x 575mm High  
 Weight: 38kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: Viton Rubber  
 Closure: 4 Steel Wing Grips  
 Commodity Code: 84798997



### 57 Litre Size Tank

Part ID: AD6000CL-LT  
 Size: 57000ml  
 Body Material: 304 Stainless Steel  
 Outer: 309mm Wide x 683mm High  
 Chamber: 305mm Wide x 600mm High  
 Weight: 17.3kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997

# Gravity Feed Tanks

## For use with fluid dispensing valves

Gravity feed tanks for watery liquids only. Pressureless systems. Made from 2mm thick 304 grade or 316 grade stainless steel. Simple 1/4" NPT ball valve included. Options include 1/2" NPT ball valve, agitator with air motor, low level float switch, additional ports.



### 57 Litre Size Tank

Part ID: AD6000CL-LTSS  
 Size: 57000ml  
 Body Material: 316 Stainless Steel  
 Outer: 309mm Wide x 683mm High  
 Chamber: 305mm Wide x 600mm High  
 Weight: 17.3kg  
 Max. Pressure: 100 PSI (6.9 Bar)  
 Closure Seal: EPDM Rubber  
 Closure: Handled Metal Lid  
 Commodity Code: 84798997



### 2 Litre Size Gravity Feed Tank

Part ID: AD2000ML-PL  
 Size: 2000ml  
 Body Material: 304 Stainless Steel  
 Outer: 120mm Wide x 350mm High  
 Chamber: 115mm Wide x 200mm High  
 Weight: 6.1kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x80x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997



### 2 Litre Size Gravity Feed Tank

Part ID: AD2000ML-PLSS  
 Size: 2000ml  
 Body Material: 316 Stainless Steel  
 Outer: mm Wide 120x 350mm High  
 Chamber: 115mm Wide x 200mm High  
 Weight: 6.1kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x80x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997



### 7.5 Litre Size Gravity Feed Tank

Part ID: AD7500ML-PL  
 Size: 5000ml  
 Body Material: 304 Stainless Steel  
 Outer: 203mm Wide x 285mm High  
 Chamber: 197mm Wide x 250mm High  
 Weight: 7.1kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x80x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997



### 7.5 Litre Size Gravity Feed Tank

Part ID: AD7500ML-PLSS  
 Size: 5000ml  
 Body Material: 316 Stainless Steel  
 Outer: 203mm Wide x 285mm High  
 Chamber: 197mm Wide x 250mm High  
 Weight: 7.1kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x80x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997



### 16.5 Litre Size Gravity Feed Tank

Part ID: AD1650CL-PV  
 Size: 16500ml  
 Body Material: 304 Stainless Steel  
 Outer: 203mm Wide x 575mm High  
 Chamber: 197mm Wide x 550mm High  
 Weight: 9.1kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x120x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997



### 16.5 Litre Size Gravity Feed Tank

Part ID: AD1650CL-PVSS  
 Size: 16500ml  
 Body Material: 316 Stainless Steel  
 Outer: 203mm Wide x 575mm High  
 Chamber: 197mm Wide x 550mm High  
 Weight: 9.1kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x120x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997



### 25 Litre Size Gravity Feed Tank

Part ID: AD2500CL-PV  
 Size: 25000ml  
 Body Material: 304 Stainless Steel  
 Outer: 400mm Wide x 363mm High  
 Chamber: 390mm Wide x 360mm High  
 Weight: 11.0kg  
 Outlet: 1/4" NPT Female Thread Valve  
 Mounting Bracket: 150x120x3  
 Mounting Holes: 3x Ø10mm  
 Commodity Code: 84798997

# Gravity Feed Tanks & Pumps

For use with fluid dispensing valves

Gravity feed tanks for watery liquids only. Grease and sealant pumps for bulk pails. Cartridge feed system for Semco 32 ounce cartridge. Piston drive tanks for higher viscosity pastes and gels.



## 25 Litre Size Gravity Feed Tank

Part ID: AD2500CL-PVSS  
Size: 25000ml  
Body Material: 316 Stainless Steel  
Outer: 400mm Wide x 363mm High  
Chamber: 390mm Wide x 360mm High  
Weight: 11.0kg  
Outlet: 1/4" NPT Female Thread Valve  
Mounting Bracket: 150x120x3  
Mounting Holes: 3x Ø10mm  
Commodity Code: 84798997



## 50 Litre Size Gravity Feed Tank

Part ID: AD5000CL-PV  
Size: 50000ml  
Body Material: 304 Stainless Steel  
Outer: 400mm Wide x 563mm High  
Chamber: 390mm Wide x 560mm High  
Weight: 19.0kg  
Outlet: 1/4" NPT Female Thread Valve  
Mounting Bracket: 150x120x3  
Mounting Holes: 3x Ø10mm  
Commodity Code: 84798997



## 50 Litre Size Gravity Feed Tank

Part ID: AD5000CL-PVSS  
Size: 50000ml  
Body Material: 316 Stainless Steel  
Outer: 400mm Wide x 563mm High  
Chamber: 390mm Wide x 560mm High  
Weight: 19.0kg  
Outlet: 1/4" NPT Female Thread Valve  
Mounting Bracket: 150x120x3  
Mounting Holes: 3x Ø10mm  
Commodity Code: 84798997



## 100 Litre Size Gravity Feed Tank

Part ID: AD10000CL-PV  
Size: 100000ml  
Body Material: 304 Stainless Steel  
Outer: 500mm Wide x 663mm High  
Chamber: 490mm Wide x 660mm High  
Weight: 35.0kg  
Outlet: 1/4" NPT Female Thread Valve  
Mounting Bracket: 150x120x3  
Mounting Holes: 3x Ø10mm  
Commodity Code: 84798997



## 100 Litre Size Gravity Feed Tank

Part ID: AD10000CL-PVSS  
Size: 100000ml  
Body Material: 316 Stainless Steel  
Outer: 500mm Wide x 663mm High  
Chamber: 490mm Wide x 660mm High  
Weight: 35.0kg  
Outlet: 1/4" NPT Female Thread Valve  
Mounting Bracket: 150x120x3  
Mounting Holes: 3x Ø10mm  
Commodity Code: 84798997



## 32 Ounce Size Cartridge Feed

Part ID: AD900ML-SC  
Size: 900ml (32oz)  
Body Material: Powder Coated Steel  
Outer: 185mm Wide x 446mm High  
Cartridge ID: 60mm Wide x 350mm High  
Weight: 1.0kg  
Outlet: 1/4" NPT Female Thread  
Max. Pressure: 30 PSI (2 Bar)  
Closure: 2 Steel Wing Grips  
Commodity Code: 84798997



## 2 Litre Size Piston Drive Tank

Part ID: AD2000ML-PT  
Size: 2000ml (20k - 100k CPS)  
Body Material: 303 Stainless Steel  
Outer: 189mm Wide x 316mm High  
Chamber: 130mm Wide x 230mm High  
Weight: 12.0kg  
Max. Pressure: 100 PSI (6.9 Bar)  
Closure Seal: EPDM Rubber  
Closure: 4 Steel Wing Grips/ Stars  
Commodity Code: 84798997



## 2 Litre Size Piston Drive Tank

Part ID: AD2000ML-PT-KIT  
Size: 2000ml (20k - 100k CPS)  
Body Material: 303 Stainless Steel  
Outer: 189mm Wide x 316mm High  
Chamber: 130mm Wide x 230mm High  
Weight: 12.0kg (Includes Valve)  
Max. Pressure: 100 PSI (6.9 Bar)  
Closure Seal: EPDM Rubber  
Closure: 4 Steel Wing Grips/ Stars  
Commodity Code: 84798997

# Pail Pumps

For use with fluid dispensing valves

Grease and sealant pumps from bulk pails or larger tubs of materials. High force ratio for high viscosity materials. Lower force versions for more flowable materials under lower pressure. All pumps feed material to hand held or machine mounted dispensing valves.



## 5 Gallon Size Pail Pump

Part ID: TS1400-CCS22-5G  
 Size: 5 Gallon  
 Force Ratio: 22:1  
 Material Inlet: 1" NPT (F)  
 Material Outlet: 1" NPT (F)  
 Fluid Pressure Range: 660-3412 PSI  
 Max. Cycles: 60/ Minute  
 Flow: 7.2 Litres/ Minute  
 Weight: 42.9kg  
 Commodity Code: 84798997



## 5 Gallon Size Pail Pump

Part ID: TS1400-CCS43-5G  
 Size: 5 Gallon  
 Force Ratio: 43:1  
 Material Inlet: 1" NPT (F)  
 Material Outlet: 1" NPT (F)  
 Fluid Pressure Range: 660-3412 PSI  
 Max. Cycles: 60/ Minute  
 Flow: 7.2 Litres/ Minute  
 Weight: 42.9kg  
 Commodity Code: 84798997



## 55 Gallon Size Pail Pump

Part ID: TS1400-RPMP23-55G  
 Size: 55 Gallon  
 Force Ratio: 23:1  
 Material Inlet: 1" NPT (F)  
 Material Outlet: 1" NPT (F)  
 Fluid Pressure Range: 660-7485 PSI  
 Max. Cycles: 60/ Minute  
 Flow: 8.8 Litres/ Minute  
 Weight: 67kg  
 Commodity Code: 84798997



## 55 Gallon Size Pail Pump

Part ID: TS1400-RPMP46-55G  
 Size: 55 Gallon  
 Force Ratio: 46:1  
 Material Inlet: 1" NPT (F)  
 Material Outlet: 1" NPT (F)  
 Fluid Pressure Range: 660-7485 PSI  
 Max. Cycles: 60/ Minute  
 Flow: 8.8 Litres/ Minute  
 Weight: 67kg  
 Commodity Code: 84798997



## Pneumatic Mini Pail Pump 25:1

Part Code: AXKP1-S25  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 1-5kg size pails  
 Container Height: 285mm max.  
 Container Inner Dia.: 80-300mm  
 Maximum Output: 2175 PSI (150 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Mini Pail Pump 60:1

Part Code: AXKP1-S60  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 1-5kg size pails  
 Container Height: 285mm max.  
 Container Inner Dia.: 80-300mm  
 Maximum Output: 2175 PSI (150 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 700 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Cartridge Pump 25:1

Part Code: AXCP1-S25-DIN1284  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 400 Gram Grease Cartridges  
 Min. Inlet Pressure: 60 PSI (4 Bar)  
 Max. Inlet Pressure.: 145 PSI (10 Bar)  
 Maximum Output: 2175 PSI (150 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Cartridge Pump 60:1

Part Code: AXCP1-S60-DIN1284  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 400 Gram Grease Cartridges  
 Min. Inlet Pressure: 60 PSI (4 Bar)  
 Max. Inlet Pressure.: 145 PSI (10 Bar)  
 Maximum Output: 5200 PSI (360 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 700 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997

# Pail Pumps

For use with fluid dispensing valves

Grease and lubricant pumps from bulk pails. Electric and pneumatic versions. Range of sizes and specifications. Pump systems feed the material under higher pressure to pneumatic or electric operated dispensing valves.



## Pneumatic Grease Pump 5:1

Part Code: 4033000  
For: Grease, Oils, Lubricants  
Sizes: For 14-18kg Size Pails  
Container Height: 370mm max.  
Container Inner Dia.: 255-280mm  
Maximum Output: 390-650 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 5:1

Part Code: 4033100  
For: Grease, Oils, Lubricants  
Sizes: For 20-25kg Size Pails  
Container Height: 470mm max.  
Container Inner Dia.: 290-330mm  
Maximum Output: 390-650 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 5:1

Part Code: 4033111  
For: Grease, Oils, Lubricants  
Sizes: For 20kg Conical Drum  
Container Height: 470mm max.  
Container Inner Dia.: 260-290mm  
Maximum Output: 390-650 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 5:1

Part Code: 4033110  
For: Grease, Oils, Lubricants  
Sizes: For 20kg Conical Drum  
Container Height: 406mm max.  
Container Inner Dia.: 306-335mm  
Maximum Output: 390-650 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031000  
For: Grease, Oils, Lubricants  
Sizes: For 14-18kg Size Pails  
Container Height: 370mm max.  
Container Inner Dia.: 255-280mm  
Maximum Output: 970-1600 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1190 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031100  
For: Grease, Oils, Lubricants  
Sizes: For 20-25kg Size Pails  
Container Height: 370mm max.  
Container Inner Dia.: 290-330mm  
Maximum Output: 970-1600 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1190 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031111  
For: Grease, Oils, Lubricants  
Sizes: For 20kg Size Pails  
Container Height: 470mm max.  
Container Inner Dia.: 260-290mm  
Maximum Output: 970-1600 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1190 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4033110  
For: Grease, Oils, Lubricants  
Sizes: For 25kg Conical Drum  
Container Height: 406mm max.  
Container Inner Dia.: 306-335mm  
Maximum Output: 970-1600 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997

# Pail Pumps

For use with fluid dispensing valves

Grease and lubricant pumps from bulk pails. Electric and pneumatic versions. Range of sizes and specifications. Pump systems feed the material under higher pressure to pneumatic or electric operated dispensing valves.



## Pneumatic Grease Pump 10:1

Part Code: 4031500  
 For: Grease, Oils, Lubricants  
 Sizes: For 14-18kg Size Pails  
 Container Height: 365mm max.  
 Container Inner Dia.: 255-280mm  
 Maximum Output: 870-1450 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 1720 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031600  
 For: Grease, Oils, Lubricants  
 Sizes: For 20-25kg Size Pails  
 Container Height: 470mm max.  
 Container Inner Dia.: 290-330mm  
 Maximum Output: 870-1450 PSI  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031611  
 For: Grease, Oils, Lubricants  
 Sizes: For 20kg Conical Drum  
 Container Height: 470mm max.  
 Container Inner Dia.: 260-290mm  
 Maximum Output: 870-1450 PSI  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031610  
 For: Grease, Oils, Lubricants  
 Sizes: For 25kg Conical Drum  
 Container Height: 406mm max.  
 Container Inner Dia.: 306-335mm  
 Maximum Output: 870-1450 PSI  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031615  
 For: Grease, Oils, Lubricants  
 Sizes: For 25kg Conical Drum  
 Container Height: 406mm max.  
 Container Inner Dia.: 306-335mm  
 Maximum Output: 970-1600 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 1190 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 20:1

Part Code: 4032000  
 For: Grease, Oils, Lubricants  
 Sizes: For 14-18kg Size Pails  
 Container Height: 370mm max.  
 Container Inner Dia.: 255-280mm  
 Maximum Output: 1665-2770 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 890 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 20:1

Part Code: 4032100  
 For: Grease, Oils, Lubricants  
 Sizes: For 20-25kg Size Pails  
 Container Height: 470mm max.  
 Container Inner Dia.: 290-330mm  
 Maximum Output: 970-1600 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 890 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Pneumatic Grease Pump 20:1

Part Code: 4032111  
 For: Grease, Oils, Lubricants  
 Sizes: For 20kg Conical Drum  
 Container Height: 470mm max.  
 Container Inner Dia.: 260-290mm  
 Maximum Output: 970-1600 PSI  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5.000 cps  
 Delivery Rate: 890 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997

# Pail Pumps

For use with fluid dispensing valves

Grease and lubricant pumps from bulk pails. Electric and pneumatic versions. Range of sizes and specifications. Pump systems feed the material under higher pressure to pneumatic or electric operated dispensing valves.



## Pneumatic Grease Pump 20:1

Part Code: 4032110  
For: Grease, Oils, Lubricants  
Sizes: For 25kg Conical Drum  
Container Height: 406mm max.  
Container Inner Dia.: 306-335mm  
Maximum Output: 870-1450 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 890 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4032500  
For: Grease, Oils, Lubricants  
Sizes: For 14-18kg Size Pails  
Container Height: 365mm max.  
Container Inner Dia.: 255-280mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4032600  
For: Grease, Oils, Lubricants  
Sizes: For 20-25kg Size Pails  
Container Height: 470mm max.  
Container Inner Dia.: 290-330mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4032611  
For: Grease, Oils, Lubricants  
Sizes: For 20kg Conical Drum  
Container Height: 470mm max.  
Container Inner Dia.: 260-290mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4032610  
For: Grease, Oils, Lubricants  
Sizes: For 25kg Conical Drum  
Container Height: 406mm max.  
Container Inner Dia.: 306-335mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4032615  
For: Grease, Oils, Lubricants  
Sizes: For 25kg Size Pails  
Container Height: 406mm max.  
Container Inner Dia.: 306-335mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 5:1

Part Code: 4033200  
For: Grease, Oils, Lubricants  
Sizes: For 50kg Size Pails  
Container Height: 640mm max.  
Container Inner Dia.: 350-410mm  
Maximum Output: 390-650 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 5:1

Part Code: 4033400  
For: Grease, Oils, Lubricants  
Sizes: For 180kg Size Pails  
Container Height: 870mm max.  
Container Inner Dia.: 560-600mm  
Maximum Output: 390-650 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997

# Pail Pumps

For use with fluid dispensing valves

Grease and lubricant pumps from bulk pails. Electric and pneumatic versions. Range of sizes and specifications. Pump systems feed the material under higher pressure to pneumatic or electric operated dispensing valves.



## Pneumatic Grease Pump 10:1

Part Code: 4031200  
For: Grease, Oils, Lubricants  
Sizes: For 50kg Size Pails  
Container Height: 640mm max.  
Container Inner Dia.: 350-410mm  
Maximum Output: 970-1600 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1190 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031400  
For: Grease, Oils, Lubricants  
Sizes: For 180kg Size Pails  
Container Height: 870mm max.  
Container Inner Dia.: 560-600mm  
Maximum Output: 970-1600 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1190 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031700  
For: Grease, Oils, Lubricants  
Sizes: For 50kg Size Pails  
Container Height: 715mm max.  
Container Inner Dia.: 350-410mm  
Maximum Output: 870-1450 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1720 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 10:1

Part Code: 4031900  
For: Grease, Oils, Lubricants  
Sizes: For 180kg Size Pails  
Container Height: 870mm max.  
Container Inner Dia.: 560-600mm  
Maximum Output: 970-1600 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1720 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 20:1

Part Code: 4032200  
For: Grease, Oils, Lubricants  
Sizes: For 50kg Size Pails  
Container Height: 640mm max.  
Container Inner Dia.: 350-410mm  
Maximum Output: 1667-2770 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 890 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 20:1

Part Code: 4032400  
For: Grease, Oils, Lubricants  
Sizes: For 180kg Size Pails  
Container Height: 870mm max.  
Container Inner Dia.: 560-600mm  
Maximum Output: 1667-2770 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 890 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4033700  
For: Grease, Oils, Lubricants  
Sizes: For 50kg Size Pails  
Container Height: 715mm max.  
Container Inner Dia.: 350-410mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Inner Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997



## Pneumatic Grease Pump 25:1

Part Code: 4032900  
For: Grease, Oils, Lubricants  
Sizes: For 180kg Size Pails  
Container Height: 870mm max.  
Container Inner Dia.: 560-600mm  
Maximum Output: 2030-3380 PSI  
Suction Tube Dia.: 32mm  
Max. Viscosity: To 5.000 cps  
Delivery Rate: 1295 cm<sup>3</sup>/minute max.  
Connection Thread: 1/4" BSP  
Commodity Code: 84798997

# Pail Pumps

For use with fluid dispensing valves

Grease and lubricant pumps from bulk pails. Electric and pneumatic versions. Range of sizes and specifications. Pump systems feed the material under higher pressure to pneumatic or electric operated dispensing valves.



## Electric Grease Pump

Part Code: AX-2000-1-M  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 14-18kg Size Pails  
 Container Height: 370mm  
 Power: 230V AC/ 50Hz  
 Maximum Output: 2900 PSI (200 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5,000 cps  
 Delivery Rate: 280 cm<sup>3</sup>/minute  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Grease Pump

Part Code: AX-2000-2-M  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 20-25kg Size Pails  
 Container Height: 470mm  
 Power: 230V AC/ 50Hz  
 Maximum Output: 2900 PSI (200 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5,000 cps  
 Delivery Rate: 280 cm<sup>3</sup>/minute  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Grease Pump

Part Code: AX-2000-3-M  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 50kg Size Pails  
 Container Height: 640mm  
 Power: 230V AC/ 50Hz  
 Maximum Output: 2900 PSI (200 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5,000 cps  
 Delivery Rate: 280 cm<sup>3</sup>/minute  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Grease Pump

Part Code: AX-2000-4-M  
 For: Grease, Silicone Oils, Lubricants  
 Sizes: For 180kg Size Pails  
 Container Height: 870mm  
 Power: 230V AC/ 50Hz  
 Maximum Output: 2900 PSI (200 Bar)  
 Suction Tube Dia.: 32mm  
 Max. Viscosity: To 5,000 cps  
 Delivery Rate: 280 cm<sup>3</sup>/minute  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Drum Pump 25:1

Part Code: AXFP1-S25  
 For: Grease, Oils, Lubricants  
 Sizes: For 1-5kg Size Pails  
 Container Height: 270mm max.  
 Container Inner Dia.: 80-298mm  
 Maximum Output: 2175-3625 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Drum Pump 60:1

Part Code: AXFP1-S60  
 For: Grease, Oils, Lubricants  
 Sizes: For 1-5kg Size Pails  
 Container Height: 270mm max.  
 Container Inner Dia.: 80-298mm  
 Maximum Output: 5221-8700 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 700 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Drum Pump 25:1

Part Code: AXFP3-S25  
 For: Grease, Oils, Lubricants  
 Sizes: Up to 50kg Size Pails  
 Container Height: 720mm max.  
 Container Inner Dia. 175-410mm  
 Maximum Output: 2175-3625 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 1500 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997



## Electric Drum Pump 60:1

Part Code: AXFP3-S60  
 For: Grease, Oils, Lubricants  
 Sizes: Up to 50kg Size Pails  
 Container Height: 720mm max.  
 Container Inner Dia. 175-410mm  
 Maximum Output: 5221-8700 PSI  
 Suction Tube Inner Dia.: 32mm  
 Max. Viscosity: To 1,000,000 cps  
 Delivery Rate: 700 cm<sup>3</sup>/minute max.  
 Connection Thread: 1/4" BSP  
 Commodity Code: 84798997

# Pressure Pot Spares and Accessories

For use with fluid dispensing valves

A range of accessories for use with pressure pots and tanks. Tank liners allowing liquids to be poured inside without damaging the chamber. Heated jackets for tanks to improve material temperature control and flow rates. Spares parts, tubing, fittings and connectors.



## Biodegradable Tank Liners

Material: Polythene & Bio Additive  
 Colour: Natural  
 For: ST Series Pressure Pots  
 Sizes: 1, 2, 5 Litre  
 Packs: 10, 50, 100, 250, 500, 1000  
 For 1 Litre: AD1000ML-ST-BG  
 For 2 & 5 Litre: AD5000ML-ST-BG



## Aluminium Tank Liners

Material: Aluminium  
 Colour: Silver  
 For: ST Series Pressure Pots  
 Sizes: 5, 10, 25 Litre Size  
 Packs: 10, 50, 100, 250, 500, 1000  
 For 5 Litre: AD5000ML-ST-BG-A  
 For 10 Litre: AD1000ML-ST-BG-A  
 For 25 Litre: AD2500ML-ST-BG-A



## Temperature Control Jacket

Material: Polyester & Wool  
 Power Supply: 230VAC  
 Temperature Range: 0-100°C  
 For: ST Tanks 1, 2, 5, 10, 25 Litre  
 ADTCJ-1L-ST Series  
 ADTCJ-2L-ST Series  
 ADTCJ-5L-ST Series  
 ADTCJ-10L-ST Series  
 ADTCJ-25L-ST Series



## Syringe Barrel Mixer

Voltage: 24VDC  
 Max. Pressure: 72 PSI/ 5 Bar  
 Min. Speed: 20 RPM  
 Max. Speed: 5000 RPM  
 Torque: 21 Nm  
 AD10ML-AG - 10cc Barrels  
 AD30ML-AG - 30cc Barrels  
 AD55ML-AG - 55cc Barrels



## Float Switch Level Sensors

1011B-FS	For 1L ST Series
2011B-FS	For 2L ST Series
5011B-FS	For 5L ST Series
1111B-FS	For 10L ST Series
2511B-FS	For 25L ST Series
3800-FS	For 3.8L LT Series
7600-FS	For 7.6L LT Series
1140-FS	For 11.4L LT Series
1900-FS	For 19L LT Series
3780-FS	For 38L LT Series



## Tank Lid O-Ring Seal Spares

OR-V4.5-90	1L, 2L ST Series Viton
OR-4.5-140	5L ST Series Viton
OR-6-219	10L ST Series Viton
OR-6-293	25L ST Series Viton
OR-6-385	50L ST Series Viton
OR-4-600.5L	CT Series Viton
509	0.5L CT Series Flat Viton
OR-4-148	2L, 5L CT Series Viton
2009	2L, 5L CT Series Viton
OR-4-188	10L CT Series Viton
1052	10L CT Series Viton
3814-LT3.8L	LT Series Viton
1114-LT11.4L	LT Series Viton
1914-LT19L	T Series Viton
AD1G-S	TS1205 EPR
1254-SIL	TS1254 Silicone
1254-VITON	TS1254 Viton
TS1258-EPR	TS1258 EPR
TS1258-VIT	TS1258 Viton



## Tank Sensors (All Sizes)

3000-KIT	Inductive Sensor
6000-KIT	Capacitive Sensor
1060	Clear Tank Sensor Bracket
524-KIT	Ultrasonic Sensor



## Pressure Relief Valves

100-SV	Standard to 100 PSI
100-SV-SS	316 S/S To 100 PSI
60-SV	Standard to 60 PSI
42-SV	Standard to 42 PSI



## 3-Way Ball Valves

B/V14NPTFM	1/4" NPT S/S 316
B/V12NPTFM	1/2" NPT S/S 316



## Tank Vacuum Kit

VAC-KIT-TA	Vacuum Kit
PR-VAC-KIT	Dual Vacuum Kit



## S/S Shelf or S/S Housing

2L-SHELF-SS	2, 5 Litre CT Shelf
5L-SHIELD-SS	5 Litre CT Housing



# Pressure Pot Spares and Accessories



## Single Blade Mixers

For STAG, STEL, CTAG & CTEL  
Use with Low Viscosity Liquids  
1L-9010S 1, 2, 5 Litre  
10L-9010S 10, 25 Litre



## Tri Blade Mixer

For STAG, STEL, CTAG & CTEL  
Use with Low/ Medium Viscosity Liquids  
5L-9010T 1, 2, 5 Litre



## Dual Blade Mixers

For STAG, STEL, CTAG & CTEL  
Use with Low/ Medium Viscosity Liquids  
1L-9010D 1, 2, 5 Litre  
10L-9010D 10, 25 Litre



## Anchor Blade Mixers

For STAG, STEL, CTAG & CTEL  
Use with Low/ Medium Viscosity Liquids  
5L-9010A 1, 2, 5 Litre  
25L-9010A 10, 25 Litre



## Replacement Swing Bolt

BM10x75SSSWING Stainless Steel



## Replacement Stair Grips

NM10PSTAR Plastic Coated  
NM10PSRSS Stainless Steel



## Replacement Circlip

HCIRCLIPEXT10 Pack of 5



## Replacement Dowel Pin

1015 Pack of 5



## Replacement Nipple Adapter

HNIPPLE0.25 Pack of 10




## Air Tube Fittings to Thread

For Compressed Air Into Tank  
TSD1006-1/8 6mm OD Tube 1/8"  
TSD1006-1/4 8mm OD Tube 1/4"



## Feed Tubing

TSD1099-45 6mm OD PE White  
TSD1099-46 6mm OD PE Black  
PTFE06/1M/KIT 6mm OD PTFE White  
PPO06/1M/KIT 6mm OD PP White  
PTFE08/1M/KIT 8mm OD PTFE White  
PPO08/1M/KIT 8mm OD PP White



## Fluid Compression Fittings

For Liquid Outlet to Tubing  
FIT-0.25-COMP-6-SS Stainless Steel  
FIT-0.25-COMP-6 White Plastic  
TS1258-250 1/4" Fitting Kit  
TS1258-375 3/8" Fitting Kit



## Simple Modifications

1/4-HOL Extra Hole 1/4"  
1/2-HOL Extra Hole 1/2"  
1/4-NPT Extra Threaded Hole 1/4" NPT  
1/2-NPT Extra Threaded Hole 1/2" NPT  
3/4-NPT Extra Threaded Hole 3/8" NPT  
1/4-BSP Extra Threaded Hole 1/4" BSP or G  
1/2-BSP Extra Threaded Hole 1/2" BSP or G  
3/4-BSP Extra Threaded Hole 3/8" BSP or G  
1/4-BF Extra Port 1/4" NPT  
1/2-BF Extra Port 1/2" NPT



## Air Regulators & Gauges

HREGULATORAIR100 Standard 0-100 PSI  
PREGULATORAIR100 Precision 0-100 PSI  
HREGULATORAIR60 Standard 0-60 PSI  
HREGULATORAIR42 Standard 0-42 PSI  
TSD500-37 0-100 PSI TS1258  
AN-100-G Gauge 0-100 PSI  
AN-60-G Gauge 0-60 PSI



## Manual Pail Pump Fillers

5 Gallon to Syringes/ Cartridges  
AD5-20LF 5 Gallon/ 20 Litre  
560092B 5 Gallon/ 20 Litre



## Dip Tubes

STST06/1M/ST1 6mm OD Stainless Steel  
1L/ 5L - ST & CT Series  
STST06/1M/ST2 6mm OD Stainless Steel  
10L/ 25L - ST Series  
TSD931-7DT Luer Lock to Dip Tube PP  
TS1215, TS1205



## Tank Motor Replacements

BLM-230-5L Electric Motor  
MRD-25-5L Pneumatic Motor



## Digital Pressure Gauges

Please contact us for details

## LT Series Trolleys

Please contact us for details



# HOW TO ORDER

Simply quote our part number, quantity required, your order number or reference and delivery address - it couldn't be easier.

- 1** BY TELEPHONE:  
01908 686660
- 2** BY FAX:  
01908 686836
- 3** FROM OUR WEBSITE:  
[adhesivedispensers.co.uk](http://adhesivedispensers.co.uk)
- 4** BY EMAIL:  
[orders@adhesivedispensers.co.uk](mailto:orders@adhesivedispensers.co.uk)

**HOURS OF BUSINESS**  
MONDAY TO FRIDAY 9AM TO 5.30PM

## Reasons to use our dispensing components

- Industrial grade** - certified safe for use to 025 psi. Will not break when in use under pneumatic or mechanical pressure.
- Certified Silicone-Free**. Our components will not contaminate fluids placed when in use including specialist adhesives.
- Burr-free**. All blunt tips are electro-polished and produced to a high precision finish.
- Widest range** - we stock millions of parts in many different styles and an extensive range of cartridges, nozzles, mixers.
- Fast lead times**. Most products are held in stock and available within days not weeks.
- Boxed** - most of our tips are supplied in sealed boxes for easy identification and protection against contamination.
- Batch codes** - all labelled with batch codes for traceability.
- Expert support**. We recommend our products to ensure our customers receive the right solution for their application.



# HOW TO PAY

We are happy to accept payment by the following methods:

## CREDIT CARD

Please quote your card number, start and expiry dates and security digits together with your name, address and delivery address.



## CHEQUE

Cheques for collection must be supported by a valid bank guarantee card.

## ACCOUNT

Accounts may be opened within 4 hours, subject to status, following receipt of a completed account application form. Please contact our Accounts Department direct on **01908 686663** for further details.

**PRICES GIVEN ARE IN POUNDS STERLING AND MAY BE SUBJECT TO CHANGE**

## ALL PRICES ARE SUBJECT TO VAT

Standard Terms and Conditions apply

## GOODS COLLECTION

Pre-ordered goods can be collected from our Milton Keynes warehouse facility by arrangement only.




## Overseas Delivery Charges

We ship goods into Europe, North and South America, Asia, Middle East, Australia and Africa. We use UPS, FedEx, DHL and Postal Services. Please contact us for specific pricing and options for all overseas shipping.

Visit our growing customer tech knowledge base for more product information, data sheets, videos and advice.

[https://www.adhesivedispensing.net/kb\\_results.asp](https://www.adhesivedispensing.net/kb_results.asp)



Adhesive Dispensing Ltd  
14 Clarke Road  
Milton Keynes  
Buckinghamshire, MK1 1LG, UK  
Tel. +44 (0) 1908 686660  
Fax. +44 (0) 1908 686836  
[orders@adhesivedispensing.com](mailto:orders@adhesivedispensing.com)  
[www.adhesivedispensing.co.uk](http://www.adhesivedispensing.co.uk)

© 2026 Adhesive Dispensing Ltd