

EXPO SHORT SPAN LIGHT & MEDIUM LOADS



RACKING-UK

Storage & Workplace Equipment



essexmezz@icloud.com



www.racking-uk.com



01621 786 630



07831 653839

Racking UK, 39 High Street, Burnham-on-Crouch, Essex, CM0 8AG



EXPO 4 BOLTLESS SHELVING

With EXPO it's as easy as 1-2-3-4

The unique friction steel clip and shelf design allows the system to be safely erected in minutes.

It now boasts one of the largest selections of modular capacities and sizes, along with an unrivalled range of accessories all finished in a high quality epoxy powder coat paint or galvanised finish.

EXPO 4 offers designers and specifiers a solution to meet any design brief, whether it's a few bays for the office, a multi-tier system or high bay project for the warehouse.

- **Clip fit shelving**
All steel shelf adjustable on steel shelf clips
- **Strong and simple to build**
Build bays quickly and easily adjust shelves
- **Flexible storage systems**
Easily adapts to your changing storage needs
- **Hard wearing painted or galvanised finish**
Offers a clean and bright epoxy powder paint finish
- **Huge range of accessories**
Solves all your storage problems, now and for the future



EXPO.....one upright with four interchangeable shelf styles

EXPO 4 FULL DETAILS TURN TO PAGE 51



The original shelf design, that comes with a wide range of sizes and capacities, all in a hard wearing light grey (RAL7038) epoxy powder coated finish.

EXPO 4G FULL DETAILS TURN TO PAGE 50



The latest addition to the range which offers a competitive, hard wearing galvanised finish, with shelf capacities up to 200kgs.



EXPO 4D FULL DETAILS TURN TO PAGE 54



A slotted shelf design, that allows a range of dividers to be integrated into the shelf, which can form compartments within the bay. All in a pure white (RAL9010) epoxy powder coated finish.

EXPO 3 FULL DETAILS TURN TO PAGE 56




The "EXTRA" Heavy duty shelf, with shelf capacities up to 300kgs and shelf sizes from 1300mm wide and 1000mm deep. All in a hard wearing galvanised finish.



+For Taller Bays Add Price			
	Height (mm)	Starter Bay Code	Extension Bay Code
D300mm	2200	E4SG/22-03/6	E4EG/22-03/6
	2500	E4SG/25-03/6	E4EG/25-03/6
	3000	E4SG/30-03/6	E4EG/30-03/6
D400mm	2200	E4SG/22-04/6	E4EG/22-04/6
	2500	E4SG/25-04/6	E4EG/25-04/6
	3000	E4SG/30-04/6	E4EG/30-04/6
D500mm	2200	E4SG/22-05/6	E4EG/22-05/6
	2500	E4SG/25-05/6	E4EG/25-05/6
	3000	E4SG/30-05/6	E4EG/30-05/6
D600mm	2200	E4SG/22-06/6	E4EG/22-06/6
	2500	E4SG/25-06/6	E4EG/25-06/6
	3000	E4SG/30-06/6	E4EG/30-06/6
	Replace 'L' with Width (07=700 / 10=1000 / 11=1150)		Replace 'L' with Width (07=700 / 10=1000 / 11=1150)



Available Heights (mm)
(Width shown 700mm)



EXPO 4 Galvanised Open Bays		+Add Extension Bay	+Add Extra Shelves		
	H x W x D (mm)	Starter Bay Code	Extension Bay Code	Shelf Code	Shelf Load (kg)
D300mm	2000 x 700 x 300	E4SGG/200703/6	E4EGG/200703/6	E4G/0703SH	150
	2000 x 1000 x 300	E4SGG/201003/6	E4EGG/201003/6	E4G/1003SH	150
	2000 x 1150 x 300	E4SGG/201103/6	E4EGG/201103/6	E4G/1103SH	120
D400mm	2000 x 700 x 400	E4SGG/200704/6	E4EGG/200704/6	E4G/0704SH	120
	2000 x 1000 x 400	E4SGG/201004/6	E4EGG/201004/6	E4G/1004SH	200
	2000 x 1150 x 400	E4SGG/201104/6	E4EGG/201104/6	E4G/1104SH	170
D500mm	2000 x 700 x 500	E4SGG/200705/6	E4EGG/200705/6	E4G/0705SH	200
	2000 x 1000 x 500	E4SGG/201005/6	E4EGG/201005/6	E4G/1005SH	200
	2000 x 1150 x 500	E4SGG/201105/6	E4EGG/201105/6	E4G/1105SH	160
D600mm	2000 x 700 x 600	E4SGG/200706/6	E4EGG/200706/6	E4G/0706SH	200
	2000 x 1000 x 600	E4SGG/201006/6	E4EGG/201006/6	E4G/1006SH	180
	2000 x 1150 x 600	E4SGG/201106/6	E4EGG/201106/6	E4G/1106SH	140

① All bays come with 6 shelves per bay and all necessary fixings, bracing and plastic feet. Extension bay comes with 2 uprights only. 1 pair of Cross Bracing required per four bays.

EXPO 4G

EXPO 4G Offers loadings of up to 200kgs per shelf and is supplied in an all-Galvanised finish, it is the ideal solution for all kinds of storage solutions.

A traditional shelf supported on 4 clips and fully adjustable in increments of 25mm to give maximum flexibility. EXPO 4G has shelf depths of 300, 400, 500 and 600mm and frame heights of 2000, 2200, 2500 and 3000mm.




EXPO 4

The “Original” Expo 4 shelf designs offer loadings of up to 200kgs but in a hard-wearing painted finish (RAL7038). Each shelf can be adjusted every 25mm along the upright (Blue RAL5010) providing a quick and simple way to position each shelf.

The shelves come in three widths and four depths from stock, bay heights range from 2000-3000mm from stock but others size and capacities are available to order.

So, whether it's a few bays for the office, a multi-tier or high bay project for the warehouse, we have the solution to meet your needs.



Extension bay connecting to the Starter bay
+detail shelf clips with shelves on an upright




EXPO 4 Open Bays		+Add Extension Bay	+Add Extra Shelves		
	H x W x D (mm)	Starter Bay Code	Extension Bay Code	Shelf Code	Shelf Load (kg)
D300mm	2000 x 700 x 300	E4S/200703/6	E4E/200703/6	E4/0703SH	140
	2000 x 1000 x 300	E4S/201003/6	E4E/201003/6	E4/1003SH	110
	2000 x 1150 x 300	E4S/201103/6	E4E/201103/6	E4/1103SH	90
D400mm	2000 x 700 x 400	E4S/200704/6	E4E/200704/6	E4/0704SH	130
	2000 x 1000 x 400	E4S/201004/6	E4E/201004/6	E4/1004SH	200
	2000 x 1150 x 400	E4S/201104/6	E4E/201104/6	E4/1104SH	180
D500mm	2000 x 700 x 500	E4S/200705/6	E4E/200705/6	E4/0705SH	200
	2000 x 1000 x 500	E4S/201005/6	E4E/201005/6	E4/1005SH	180
	2000 x 1150 x 500	E4S/201105/6	E4E/201105/6	E4/1105SH	150
D600mm	2000 x 700 x 600	E4S/200706/6	E4E/200706/6	E4/0706SH	180
	2000 x 1000 x 600	E4S/201006/6	E4E/201006/6	E4/1006SH	200
	2000 x 1150 x 600	E4S/201106/6	E4E/201106/6	E4/1106SH	150

① Includes 4x uprights, 6x shelves and all necessary fixings, bracing and plastic feet. Extension bay comes with 2 uprights only. 1 pair of Cross Bracing required per four bays.

+For Taller Bays Add Price			
	Height (mm)	Starter Bay Code	Extension Bay Code
D300mm	2200	E4S/22-03/6	E4E/22-03/6
	2500	E4S/25-03/6	E4E/25-03/6
	3000	E4S/30-03/6	E4E/30-03/6
D400mm	2200	E4S/22-04/6	E4E/22-04/6
	2500	E4S/25-04/6	E4E/25-04/6
	3000	E4S/30-04/6	E4E/30-04/6
D500mm	2200	E4S/22-05/6	E4E/22-05/6
	2500	E4S/25-05/6	E4E/25-05/6
	3000	E4S/30-05/6	E4E/30-05/6
D600mm	2200	E4S/22-06/6	E4E/22-06/6
	2500	E4S/25-06/6	E4E/25-06/6
	3000	E4S/30-06/6	E4E/30-06/6
Replace 'L' with Width (07=700 / 10=1000 / 11=1150)		Replace 'L' with Width (07=700 / 10=1000 / 11=1150)	

Available Heights (mm)
(Width shown 700mm)



EXPO 4 side cladding options



EXPO 4 Solid Side Cladding			
H x D (mm)		Code	
H2000mm	2000 x 300	EX10/2003/GY	
	2000 x 400	EX10/2004/GY	
	2000 x 500	EX10/2005/GY	
	2000 x 600	EX10/2006/GY	
H2500mm	2500 x 300	EX10/2503/GY	
	2500 x 400	EX10/2504/GY	
	2500 x 500	EX10/2505/GY	
	2500 x 600	EX10/2506/GY	
H3000mm	2200 x 300	EX10/2203/GY	
	2200 x 400	EX10/2204/GY	
	2200 x 500	EX10/2205/GY	
	2200 x 600	EX10/2206/GY	

① Clad one frame. Includes multiple panels and a plastic joining rib. (light grey RAL7038)



EXPO 4 Mesh Side Cladding			
H x D (mm)		Code	
H2000mm	2000 x 300	EX11/2003/GV	
	2000 x 400	EX11/2004/GV	
	2000 x 500	EX11/2005/GV	
	2000 x 600	EX11/2006/GV	
H2500mm	2200 x 300	EX11/2203/GV	
	2200 x 400	EX11/2204/GV	
	2200 x 500	EX11/2205/GV	
	2200 x 600	EX11/2206/GV	
H3000mm	2500 x 300	EX11/2503/GV	
	2500 x 400	EX11/2504/GV	
	2500 x 500	EX11/2505/GV	
	2500 x 600	EX11/2506/GV	

① Clad one frame. Includes multiple panels of 2"x 2" galvanised mesh and ties.

EXPO 4 back cladding options



EXPO 4 Mesh Back Cladding		
	H x W (mm)	Code
W700mm	2000 x 700	EX12/2007/GV
	2200 x 700	EX12/2207/GV
	2500 x 700	EX12/2507/GV
	3000 x 700	EX12/3007/GV
W1000mm	2000 x 1000	EX12/2010/GV
	2200 x 1000	EX12/2210/GV
	2500 x 1000	EX12/2510/GV
	3000 x 1000	EX12/3010/GV
W1150mm	2000 x 1150	EX12/2011/GV
	2200 x 1150	EX12/2211/GV
	2500 x 1150	EX12/2511/GV
	3000 x 1150	EX12/3011/GV

① Includes multiple panels of 2"x 2" galvanized mesh and ties.



EXPO 4 Solid Sheet Back Cladding		
	H x W (mm)	Code
W700mm	2000 x 700	EX13/2007/GY
	2200 x 700	EX13/2207/GY
	2500 x 700	EX13/2507/GY
	3000 x 700	EX13/3007/GY
W1000mm	2000 x 1000	EX13/2010/GY
	2200 x 1000	EX13/2210/GY
	2500 x 1000	EX13/2510/GY
	3000 x 1000	EX13/3010/GY
W1150mm	2000 x 1150	EX13/2011/GY
	2200 x 1150	EX13/2211/GY
	2500 x 1150	EX13/2511/GY
	3000 x 1150	EX13/3011/GY

① Includes multiple solid steel sheets (light grey RAL7038) and screws.



EXPO 4 Hook In Back Cladding		
	H x W (mm)	Code
W700mm	2000 x 700	EX14/2007/GY
	2200 x 700	EX14/2207/GY
	2500 x 700	EX14/2507/GY
	3000 x 700	EX14/3007/GY
W1000mm	2000 x 1000	EX14/2010/GY
	2200 x 1000	EX14/2210/GY
	2500 x 1000	EX14/2510/GY
	3000 x 1000	EX14/3010/GY
W1150mm	2000 x 1150	EX14/2011/GY
	2200 x 1150	EX14/2211/GY
	2500 x 1150	EX14/2511/GY
	3000 x 1150	EX14/3011/GY

① Includes multiple hook in steel panels (light grey RAL7038).



EXPO 4D

Expo 4D integrates the Delta Plus shelf within the standard Expo uprights (Blue RAL5010). These shelves are finished in a pure white (RAL9010).

The shelves come slotted, this allows the use of a range of dividers to create compartments along the shelf, which are available in two widths and four depths.


Bays are supplied with six slotted shelves and are all easily adjustable on clips at a 25mm pitch. All you need to do is select the accessories you need to create any bay configurations that meets your requirements.




EXPO 4 Open Bays (White)			+Add Extension Bay	+Extra Shelf	+Add Extra Height		
	H x W x D (mm)	Starter Bay Code	Extension Bay Code	Shelf Code	Shelf Load	Starter Bay Code	Extension Bay Code
300mm	2000 x 700 x 300	E4ST/200703/6/BW	E4ET/200703/6/BW	E4/0703ST	120	E4ST/22-03/6/BW	E4ET/22-03/6/BW
	2000 x 1000 x 300	E4ST/201003/6/BW	E4ET/201003/6/BW	E4/1003ST	120	E4ST/25-03/6/BW	E4ET/25-03/6/BW
						E4ST/30-03/6/BW	E4ET/30-03/6/BW
400mm	2000 x 700 x 400	E4ST/200704/6/BW	E4ET/200704/6/BW	E4/0704ST	120	E4ST/22-04/6/BW	E4ET/22-04/6/BW
	2000 x 1000 x 400	E4ST/201004/6/BW	E4ET/201004/6/BW	E4/1004ST	120	E4ST/25-04/6/BW	E4ET/25-04/6/BW
						E4ST/30_04/6/BW	E4ET/30_04/6/BW
500mm	2000 x 700 x 500	E4ST/200705/6/BW	E4ET/200705/6/BW	E4/0705ST	120	E4ST/22-05/6/BW	E4ET/22-05/6/BW
	2000 x 1000 x 500	E4ST/201005/6/BW	E4ET/201005/6/BW	E4/1005ST	120	E4ST/25-05/6/BW	E4ET/25-05/6/BW
						E4ST/30_05/6/BW	E4ET/30_05/6/BW
600mm	2000 x 700 x 600	E4ST/200706/6/BW	E4ET/200706/6/BW	E4/0706ST	120	E4ST/22-06/6/BW	E4ET/22-06/6/BW
	2000 x 1000 x 600	E4ST/201006/6/BW	E4ET/201006/6/BW	E4/1006ST	120	E4ST/25-06/6/BW	E4ET/25-06/6/BW
						E4ST/30_06/6/BW	E4ET/30_06/6/BW

Bay price includes uprights, plastic feet, shelf clips, slotted shelves and all necessary bracing and fixings.

Solid Back Cladding (Flat Sheet)	
H x W (mm)	Code
2000 x 700	EX13/2007/WH
2200 x 700	EX13/2207/WH
2500 x 700	EX13/2507/WH
3000 x 700	EX13/3007/WH
2000 x 1000	EX13/2010/WH
2200 x 1000	EX13/2210/WH
2500 x 1000	EX13/2510/WH
3000 x 1000	EX13/3010/WH



Shelves and accessories fully interchangeable with Delta Plus Steel Shelving



Solid Side Cladding	
H x D (mm)	Code
2000 x 300	EX10/2003/WH
2000 x 400	EX10/2004/WH
2000 x 500	EX10/2005/WH
2000 x 600	EX10/2006/WH
2200 x 300	EX10/2203/WH
2200 x 400	EX10/2204/WH
2200 x 500	EX10/2205/WH
2200 x 600	EX10/2206/WH
2500 x 300	EX10/2503/WH
2500 x 400	EX10/2504/WH
2500 x 500	EX10/2505/WH
2500 x 600	EX10/2506/WH
3000 x 300	EX10/3003/WH
3000 x 400	EX10/3004/WH
3000 x 500	EX10/3005/WH
3000 x 600	EX10/3006/WH



4. Bin Front / Back Stop	
W x H (mm)	Product Code
686 X 85	EX31/070/085/WH
986 X 85	EX31/100/085/WH

3. Freestanding Dividers	
D x H (mm)	Product Code
300 x 175	EX20/030/175/WH
400 x 175	EX20/040/175/WH
500 x 175	EX20/050/175/WH
600 x 175	EX20/060/175/WH



D x H (mm)	Product Code
300 X 95	EX32/030/095/WH
300 x 195	EX32/030/195/WH
400 x 95	EX32/040/095/WH
400 x 195	EX32/040/195/WH
500 x 95	EX32/050/095/WH
500 x 195	EX32/050/195/WH
600 x 95	EX32/060/095/WH
600 x 195	EX32/060/195/WH



Size D x H (mm)	Product Code
300 x 300	EX33/030/300/WH
300 x 400	EX33/030/400/WH
400 x 300	EX33/040/300/WH
400 x 400	EX33/040/400/WH
500 x 300	EX33/050/300/WH
500 x 400	EX33/050/400/WH
600 x 300	EX33/060/300/WH
600 x 400	EX33/060/400/WH

Accessory pricing applied in addition to bay pricing. Slot-In and Fixed Height Dividers require slotted shelves (supplied as standard with white bays)



EXPO 3

Galvanised Boltless shelving.

EXPO 3 uses the same upright as our EXPO 4 shelving system, but has the unique shelf design which can have capacities up to 300kgs UDL. The design is based on a pair of shelf carriers and the combination of 100mm or 200mm panels to make up the required depth.

- **Hard wearing galvanised finish**
Tough and bright finish that will last the rigours of any environment
- **Simple to build**
Build bays quickly to get your storage problems sorted fast
- **Will suit any application**
Versatile and expandable and suits a wide range of industries
- **Interchangeable with EXPO 4 system**
Mix and match accessories and components with our EXPO 4 systems
- **Wide choice of sizes**
Flexibility to suit all your storage needs within one product



EXPO 3 galvanised boltless shelving

Fully interchangeable with EXPO 4 system



EXPO 3 single shelf carrier (used for top shelf)



EXPO 3 double shelf carriers



Heights

Standard Bay Height (mm)
2000

Other Available Heights (mm)
2200, 2500, 3000



Widths

Widths (mm)
700, 1000, 1150, 1300



Depths

Depths (mm)
200, 300, 400, 500, 600, 800



Application

Environment
Warehouse, Stockroom, Workshop

Usage
**Multipurpose
Hard Wearing Storage,
Multi Tier Application**



Construction

Uprights: **Steel**
Galvanised

Shelf Carriers: **Steel**
Galvanised

Shelves: **Steel**
Galvanised



Loadings

Shelf UDL up to
300kg

Max Bay Load
2500kg




EXPO 3 open bays

EXPO 3 Open Bays			+Add Extension Bay	+Add Extra Shelf	
	H x W x D (mm)	Starter Bay Code	Extension Bay Code	Shelf Code	Shelf Load (kg)
D200mm	2000 x 700 x 200	E3S/200702/6SD	E3E/200702/6SD	E3/0702SHSD	100
	2000 x 1000 x 200	E3S/201002/6SD	E3E/201002/6SD	E3/1002SHSD	70
	2000 x 1150 x 200	E3S/201102/6SD	E3E/201102/6SD	E3/1102SHSD	90
	2000 x 1300 x 200	E3S/201302/6SD	E3E/201302/6SD	E3/1302SHSD	70
D300mm	2000 x 700 x 300	E3S/200703/6SD	E3E/200703/6SD	E3/0703SHSD	150
	2000 x 1000 x 300	E3S/201003/6SD	E3E/201003/6SD	E3/1003SHSD	105
	2000 x 1150 x 300	E3S/201103/6SD	E3E/201103/6SD	E3/1103SHSD	135
	2000 x 1300 x 300	E3S/201303/6SD	E3E/201303/6SD	E3/1303SHSD	105
D400mm	2000 x 700 x 400	E3S/200704/6SD	E3E/200704/6SD	E3/0704SHSD	200
	2000 x 1000 x 400	E3S/201004/6SD	E3E/201004/6SD	E3/1004SHSD	140
	2000 x 1150 x 400	E3S/201104/6SD	E3E/201104/6SD	E3/1104SHSD	180
	2000 x 1300 x 400	E3S/201304/6SD	E3E/201304/6SD	E3/1304SHSD	140
D500mm	2000 x 700 x 500	E3S/200705/6SD	E3E/200705/6SD	E3/0705SHSD	250
	2000 x 1000 x 500	E3S/201005/6SD	E3E/201005/6SD	E3/1005SHSD	175
	2000 x 1150 x 500	E3S/201105/6SD	E3E/201105/6SD	E3/1105SHSD	225
	2000 x 1300 x 500	E3S/201305/6SD	E3E/201305/6SD	E3/1305SHSD	175
D600mm	2000 x 700 x 600	E3S/200706/6SD	E3E/200706/6SD	E3/0706SHSD	300
	2000 x 1000 x 600	E3S/201006/6SD	E3E/201006/6SD	E3/1006SHSD	210
	2000 x 1150 x 600	E3S/201106/6SD	E3E/201106/6SD	E3/1106SHSD	270
	2000 x 1300 x 600	E3S/201306/6SD	E3E/201306/6SD	E3/1306SHSD	210
D800mm	2000 x 700 x 800	E3S/200708/6SD	E3E/200708/6SD	E3/0708SHSD	300
	2000 x 1000 x 800	E3S/201008/6SD	E3E/201008/6SD	E3/1008SHSD	280
	2000 x 1150 x 800	E3S/201108/6SD	E3E/201108/6SD	E3/1108SHSD	300
	2000 x 1300 x 800	E3S/201308/6SD	E3E/201308/6SD	E3/1308SHSD	280



EXPO 3 starter and extension bays 2000 x 1000 x 400 - starter bay with cross brace

+Add Extra Height		
Extra Height	Bay Code	Bay Code
	Add to starter bay	Add to extension bay
2200mm	E3S/22---/SD	E3E/22---/SD
2500mm	E3S/25---/SD	E3E/25---/SD
3000mm	E3S/30---/SD	E3E/30---/SD



All bays come with 6x shelves per bay and all necessary fixings, bracing, 4x uprights and plastic feet. Extension bay comes with 2x uprights only.



EXPO 3 side and back cladding options




EXPO 3 Solid Side Cladding					
H x D (mm)			Code		
H2000mm	2000 X 200	EX10/2002/GY	H2500mm	2500 X 200	EX10/2502/GY
	2000 x 300	EX10/2003/GY		2500 x 300	EX10/2503/GY
	2000 x 400	EX10/2004/GY		2500 x 400	EX10/2504/GY
	2000 x 500	EX10/2005/GY		2500 x 500	EX10/2505/GY
	2000 x 600	EX10/2006/GY		2500 x 600	EX10/2506/GY
	2000 X 800	EX10/2008/GY		2500 X 800	EX10/2508/GY
H2200mm	2200 X 200	EX10/2202/GY	H3000mm	3000 X 200	EX10/3002/GY
	2200 x 300	EX10/2203/GY		3000 x 300	EX10/3003/GY
	2200 x 400	EX10/2204/GY		3000 x 400	EX10/3004/GY
	2200 x 500	EX10/2205/GY		3000 x 500	EX10/3005/GY
	2200 x 600	EX10/2206/GY		3000 x 600	EX10/3006/GY
	2200 X 800	EX10/2208/GY		3000 x 800	EX10/3008/GY

Clad each frame. Includes multiple panels and a plastic joining rib (Light grey RAL7038).



EXPO 3 Hook In Back Cladding		
	H x W (mm)	Code
W700mm	2000 x 700	EX14/2007/GV
	2200 x 700	EX14/2207/GV
	2500 x 700	EX14/2507/GV
	3000 x 700	EX14/3007/GV
W1000mm	2000 x 1000	EX14/2010/GV
	2200 x 1000	EX14/2210/GV
	2500 x 1000	EX14/2510/GV
W1150mm	3000 x 1000	EX14/3010/GV
	2000 x 1150	EX14/2011/GV
	2200 x 1150	EX14/2211/GV
	2500 x 1150	EX14/2511/GV

Includes multiple hook in steel panels (Galvanised).



EXPO 3 Mesh Back Cladding		
	H x W (mm)	Code
W700mm	2000 x 700	EX12/2007/GV
	2200 x 700	EX12/2207/GV
	2500 x 700	EX12/2507/GV
	3000 x 700	EX12/3007/GV
W1000mm	2000 x 1000	EX12/2010/GV
	2200 x 1000	EX12/2210/GV
	2500 x 1000	EX12/2510/GV
W1150mm	3000 x 1000	EX12/3010/GV
	2000 x 1150	EX12/2011/GV
	2200 x 1150	EX12/2211/GV
	2500 x 1150	EX12/2511/GV

Includes multiple panels of 2"x 2" galvanised mesh and ties.





DELTA PLUS STEEL SHELVING

Delta Plus is our versatile steel shelving system and is the evolution of our popular Delta Edge range. Ideal for the office, library, workshop or warehouse, Delta Plus is the ultimate all-rounder.

Developed in-house in the UK, Delta Plus features an aesthetically attractive yet conveniently simple design. The system is brilliantly adaptable with a choice of plain or slotted shelves adjustable every 25mm. The system boasts a vast range of dividers and accessories making Delta Plus perfect for any brief.

Hidden shelf clips and wide open bays maximise the space available to store items. Accessories and dividers allow additional scope to organise items neatly, reducing time and stress.

- True delta edge profile
- Slotted shelves or solid shelves available
- 120kg (UDL) Shelf loading
- Huge range of dividers and accessories
- Shelf pitch every 25mm with indicators every 100mm
- Hidden shelf clips for maximised storage space
- Attractive Pure White (RAL9010) finish
- Designed in-house in the United Kingdom



Delta Profile



Slotted shelf for dividers

The ultimate all-rounder, available at an unbelievable price



Distribution Centre configuration

Office configuration

E-Commerce/Garment Picking

Small Part Picking



Heights

Bay heights (mm)
930, 1930, 2230, 2530
Other heights available
on request



Widths

Widths (mm)
**700 (686), 902,
986 (1000), 1236**



Depths

Depths (mm)
**300, 362, 400,
450, 500, 600**



Application

Environment
**Library, Office,
Storeroom, Warehouse**

Usage
**Light Storage, Filing,
General Purpose Shelving,
Compartment Shelving**



Construction

Side Panels: **Steel**
Pure White RAL9010

Shelf Clips: **Steel**

Shelves: **Steel**
Pure White RAL9010



Loadings

Shelf UDL up to
120kg

Max Bay Load
600kg






Shelf location indicator




No protruding clips



Delta Profile



H	Nominal Height	=	930, 1930, 2230, 2530mm
W	Nominal Width	=	686, 902, 986, 1236mm
D	Nominal Depth	=	300, 362, 400, 450, 500, 600mm
CE	Clear Entry	=	(CE = W-20mm)
TWST	Total Width Starter Bay	=	(TWST = W+36mm)
TWEX	Total Width Extension Bay	=	(TWST = W+1mm)
CW	Centre Width	=	(CW = W+1mm)
TD	Total Depth	=	(TD = D+12mm)



- A Minimum first shelf level height = 56mm*
- B Shelf Pitch - Distance between levels = Every 25mm
- C Clear entry - space between levels
- ST Shelf Thickness = 30mm

*If using metal feet and/or a plinth, the minimum first shelf level height remains 56mm



Delta Plus Open Bays			+Add Extension Bay	+Extra Shelf	+Add Extra Height			
	H x W x D (mm)	Starter Bay Code	Extension Bay Code	Shelf Code	Shelf Load	Height (mm)	Starter Bay Code	Extension Bay Code
300mm	1930 x 686 x 300	DTS/19/07/30/6	DTE/19/07/30/6	DTS/0730SH	120	2230	DTS/22/-/30/6	DTE/22/-/30/6
	1930 x 902 x 300	DTS/19/09/30/6	DTE/19/09/30/6	DTS/0930SH	120	2530	DTS/25/-/30/6	DTE/25/-/30/6
	1930 x 986 x 300	DTS/19/10/30/6	DTE/19/10/30/6	DTS/1030SH	120			
362mm	1930 x 686 x 362	DTS/19/07/36/6	DTE/19/07/36/6	DTS/0736SH	120	2230	DTS/22/-/36/6	DTE/22/-/36/6
	1930 x 902 x 362	DTS/19/09/36/6	DTE/19/09/36/6	DTS/0936SH	120	2530	DTS/25/-/36/6	DTE/25/-/36/6
	1930 x 986 x 362	DTS/19/10/36/6	DTE/19/10/36/6	DTS/1036SH	120			
400mm	1930 x 686 x 400	DTS/19/07/40/6	DTE/19/07/40/6	DTS/0740SH	120	2230	DTS/22/-/40/6	DTE/22/-/40/6
	1930 x 902 x 400	DTS/19/09/40/6	DTE/19/09/40/6	DTS/0940SH	120	2530	DTS/25/-/40/6	DTE/25/-/40/6
	1930 x 986 x 400	DTS/19/10/40/6	DTE/19/10/40/6	DTS/1040SH	120			
450mm	1930 x 686 x 450	DTS/19/07/45/6	DTE/19/07/45/6	DTS/0745SH	120	2230	DTS/22/-/45/6	DTE/22/-/45/6
	1930 x 902 x 450	DTS/19/09/45/6	DTE/19/09/45/6	DTS/0945SH	120	2530	DTS/25/-/45/6	DTE/25/-/45/6
	1930 x 986 x 450	DTS/19/10/45/6	DTE/19/10/45/6	DTS/1045SH	120			
500mm	1930 x 686 x 500	DTS/19/07/50/6	DTE/19/07/50/6	DTS/0750SH	120	2230	DTS/22/-/50/6	DTE/22/-/50/6
	1930 x 902 x 500	DTS/19/09/50/6	DTE/19/09/50/6	DTS/0950SH	120	2530	DTS/25/-/50/6	DTE/25/-/50/6
	1930 x 986 x 500	DTS/19/10/50/6	DTE/19/10/50/6	DTS/1050SH	120			
600mm	1930 x 686 x 600	DTS/19/07/60/6	DTE/19/07/60/6	DTS/0760SH	120	2230	DTS/22/-/60/6	DTE/22/-/60/6
	1930 x 902 x 600	DTS/19/09/60/6	DTE/19/09/60/6	DTS/0960SH	120	2530	DTS/25/-/60/6	DTE/25/-/60/6
	1930 x 986 x 600	DTS/19/10/60/6	DTE/19/10/60/6	DTS/1060SH	120			

ⓘ All bays include 6 shelves and all necessary fixings and bracing. Starter bay = 2 x side panel. Extension bay = 1 x side panel, Bays finished in RAL9010 pure white, Maximum Bay Load 600kg

Discover the incredible range of Accessories available with the Delta Plus

1. Slot In Dividers

D x H (mm)	Product Code
300 X 95	DT08/30/09
450 X 400	DT08/30/19
362 X 95	DT08/36/09
362 X 195	DT08/36/19
400 X 95	DT08/40/09
400 X 195	DT08/40/19
450 X 95	DT08/45/09
450 X 195	DT08/45/19
500 X 95	DT08/50/09
500 X 195	DT08/50/19
600 X 95	DT08/60/09
600 X 195	DT08/60/19



2. Fixed Height Dividers

D x H (mm)	Product Code
300 X 300	DT07/30/30
300 X 400	DT07/30/40
362 X 300	DT07/36/30
362 X 400	DT07/36/40
400 X 300	DT07/40/30
400 X 400	DT07/40/40
450 X 300	DT07/45/30
450 X 400	DT07/45/40
500 X 300	DT07/50/30
500 X 400	DT07/50/40
600 X 300	DT07/60/30
600 X 400	DT07/60/40

3. Freestanding Dividers

D x H (mm)	Product Code
300 x 175	DT06/30/175
362 x 175	DT06/36/175
400 x 175	DT06/40/175
450 x 175	DT06/45/175
500 x 175	DT06/50/175
600 x 175	DT06/60/175

4. Bin Front

W x H (mm)	Product Code
686 X 85	DT09/07/85
902 X 85	DT09/09/85
986 X 85	DT09/10/85

5. Base Plinth

W x H (mm)	Product Code
686 x 25	DT10/07/25
902 x 25	DT10/09/25
986 x 25	DT10/10/25

Back Cladding sets

H x W (mm)	Product Code
1930 X 686	DT05/1907/WH
1930 x 902	DT05/1909/WH
1930 X 986	DT05/1910/WH
2230 X 686	DT05/2207/WH
2230 x 902	DT05/2209/WH
2230 X 986	DT05/2210/WH
2530 X 686	DT05/2507/WH
2530 x 902	DT05/2509/WH
2530 X 986	DT05/2510/WH

ⓘ Lateral filing option requires 362mm deep plain shelves. Slotted shelves can be substituted for plain shelves on request



ASK US
TO QUOTE



RACKING-UK

Storage & Workplace Equipment

*...there is no space too big
too small or too awkward*

 essexmezz@icloud.com

 www.racking-uk.com

 01621 786 630

 07831 653839